2027

Prior Authorization Criteria

January 1st - December 31st



LEON HEALTH

H4286_PRIORAUTHCRIT2027_C

ABALOPARATIDE

Products Affected

- TYMLOS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	OSTEOPOROSIS: HAS NOT RECEIVED A TOTAL OF 24 MONTHS CUMULATIVE TREATMENT WITH ANY PARATHYROID HORMONE THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ABATACEPT SQ

Products Affected

- ORENCIA
- ORENCIA CLICKJECT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/ADALIMUMAB-AATY/HADLIMA, XELJANZ, RINVOQ. PJIA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/ADALIMUMAB-AATY/HADLIMA, XELJANZ IR, RINVOQ. PSA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: COSENTYX, HUMIRA/ADALIMUMAB-AATY/HADLIMA, SELARSDI/YESINTEK/OTULFI, TREMFYA, SKYRIZI, OTEZLA, XELJANZ, RINVOQ. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: ALL INDICATIONS: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ABEMACICLIB

Products Affected

- VERZENIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ABIRATERONE

Products Affected

- *abiraterone*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC HIGH-RISK CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC), METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ABIRATERONE SUBMICRONIZED

Products Affected

- YONSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ACALABRUTINIB

Products Affected

- CALQUENCE (ACALABRUTINIB MAL)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ADAGRASIB

Products Affected

- KRAZATI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ADALIMUMAB

Products Affected

- SIMLANDI(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML
- SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ADALIMUMAB-BWWD

Products Affected

- HADLIMA
- HADLIMA PUSHTOUCH
- HADLIMA(CF)
- HADLIMA(CF) PUSHTOUCH

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

AFATINIB

Products Affected

- GILOTRIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS.
Other Criteria	METASTATIC NSCLC WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE-INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ALECTINIB

Products Affected

- ALECENSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ALPELISIB-PIQRAY

Products Affected

- PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AMBRISENTAN

Products Affected

- *ambrisentan oral tablet 5 mg*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

AMIFAMPRIDINE

Products Affected

- FIRDAPSE

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

AMIKACIN LIPOSOMAL INH

Products Affected

- ARIKAYCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MYCOBACTERIUM AVIUM COMPLEX (MAC) LUNG DISEASE: RENEWAL: 1) NO POSITIVE MAC SPUTUM CULTURE AFTER CONSECUTIVE NEGATIVE CULTURES, AND 2) IMPROVEMENT IN SYMPTOMS. ADDITIONALLY, FOR FIRST RENEWAL, APPROVAL REQUIRES AT LEAST ONE NEGATIVE SPUTUM CULTURE FOR MAC BY SIX MONTHS OF ARIKAYCE TREATMENT. FOR SECOND AND SUBSEQUENT RENEWALS, APPROVAL REQUIRES AT LEAST THREE NEGATIVE SPUTUM CULTURES FOR MAC BY 12 MONTHS OF ARIKAYCE TREATMENT.
Age Restrictions	
Prescriber Restrictions	MAC LUNG DISEASE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ANAKINRA

Products Affected

- KINERET

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

APALUTAMIDE

Products Affected

- ERLEADA ORAL TABLET 240 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC), METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

APOMORPHINE - APOKYN

Products Affected

- *apomorphine*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

APREMILAST

Products Affected

- OTEZLA ORAL TABLET 20 MG, 30 MG
- OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47)
- OTEZLA XR
- OTEZLA XR INITIATION

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ARMODAFINIL

Products Affected

- *armodafinil*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ASCIMINIB

Products Affected

- SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED OR T315I MUTATION PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND SCEMBLIX IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ATOGEPANT

Products Affected

- QULIPTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	MIGRAINE PREVENTION: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AVACOPAN

Products Affected

- TAVNEOS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ANTI-NEUTROPHIL CYTOPLASMIC AUTOANTIBODY (ANCA)-ASSOCIATED VASCULITIS: INITIAL: ANCA SEROPOSITIVE (ANTI-PR3 OR ANTI-MPO).
Age Restrictions	
Prescriber Restrictions	ANCA-ASSOCIATED VASCULITIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR NEPHROLOGIST.
Coverage Duration	INITIAL/RENEWAL: 6 MONTHS.
Other Criteria	ANCA-ASSOCIATED VASCULITIS: RENEWAL: CONTINUES TO BENEFIT FROM THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AVAPRITINIB

Products Affected

- AYVAKIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AVUTOMETINIB-DEFACTINIB

Products Affected

- AVMAPKI-FAKZYNJA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AXITINIB

Products Affected

- INLYTA ORAL TABLET 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AZACITIDINE

Products Affected

- ONUREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AZTREONAM INHALED

Products Affected

- CAYSTON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	7 YEARS OF AGE OR OLDER
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BEDAQUILINE

Products Affected

- SIRTURO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 WEEKS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BELIMUMAB

Products Affected

- BENLYSTA SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

BELUMOSUDIL

Products Affected

- REZUROCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

BELZUTIFAN

Products Affected

- WELIREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BENRALIZUMAB

Products Affected

- FASENRA
- FASENRA PEN

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

BETAINE

Products Affected

- *betaine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BEXAROTENE

Products Affected

- *bexarotene oral*
- *bexarotene topical*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BINIMETINIB

Products Affected

- MEKTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BOSENTAN

Products Affected

- *bosentan oral tablet*
- *bosentan oral tablet for suspension*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

BOSUTINIB

Products Affected

- BOSULIF ORAL CAPSULE 100 MG, 50 MG
- BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND BOSULIF IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

BRIGATINIB

Products Affected

- ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG
- ALUNBRIG ORAL TABLETS,DOSE PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BUDESONIDE-TARPEYO

Products Affected

- TARPEYO

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

C1 ESTERASE INHIBITOR-HAEGARDA

Products Affected

- HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY ANGIOEDEMA (HAE): INITIAL: 1) TYPE I OR II HAE CONFIRMED BY ONE OF THE FOLLOWING COMPLEMENT TESTS: C1-INH PROTEIN LEVELS, C4 PROTEIN LEVELS, C1-INH FUNCTIONAL LEVELS, C1Q, OR 2) TYPE III HAE CONFIRMED BY: (A) RECURRENT, NON-URTICARIAL ANGIOEDEMA INVOLVING THE SKIN, GASTROINTESTINAL TRACT, OR AIRWAY, CONSISTENT WITH BRADYKININ-MEDIATED HAE AND ATTACKS NOT EXPLAINED BY HISTAMINERGIC/URTICARIAL ANGIOEDEMA, AND (B) OTHER CAUSES OF ANGIOEDEMA HAVE BEEN EXCLUDED, INCLUDING ACE-INHIBITOR/ARB-ASSOCIATED ANGIOEDEMA, ACQUIRED C1-INH DEFICIENCY, AND MAST-CELL/HISTAMINERGIC ANGIOEDEMA.
Age Restrictions	
Prescriber Restrictions	HAE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST, IMMUNOLOGIST, ALLERGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	HAE: INITIAL/RENEWAL: NOT ON CONCURRENT TREATMENT WITH ALTERNATIVE PROPHYLACTIC AGENT FOR HAE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

CABOZANTINIB CAPSULE

Products Affected

- COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CABOZANTINIB TABLET

Products Affected

- CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CANNABIDIOL

Products Affected

- EPIDIOLEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: DRAVET SYNDROME (DS), LENNOX-GASTAUT SYNDROME (LGS), TUBEROUS SCLEROSIS COMPLEX (TSC): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR
Other Criteria	INITIAL: LGS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING ANTIEPILEPTIC MEDICATIONS: RUFINAMIDE, FELBAMATE, CLOBAZAM, TOPIRAMATE, LAMOTRIGINE, CLONAZEPAM.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

CAPIVASERTIB

Products Affected

- TRUQAP

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CAPMATINIB

Products Affected

- TABRECTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CARGLUMIC ACID

Products Affected

- *carglumic acid*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

CERITINIB

Products Affected

- ZYKADIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CERTOLIZUMAB PEGOL

Products Affected

- CIMZIA SUBCUTANEOUS SYRINGE KIT 200 MG/ML

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

CLADRIBINE

Products Affected

- *cladribine 10 mg x 10 tab pk outer (8 pack), 10 mg (9 pack)*
- *cladribine(multiple sclerosis) oral tablet 10 mg (10 pack), 10 mg (4 pack), 10 mg (5 pack), 10 mg (6 pack), 10 mg (7 pack), 10 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): 1) TRIAL OF OR CONTRAINDICATION TO THE FOLLOWING PREFERRED AGENT: KESIMPTA, AND 2) HAS NOT RECEIVED A TOTAL OF TWO YEARS OF MAVENCLAD TREATMENT (I.E., TWO YEARLY TREATMENT COURSES OF TWO CYCLES IN EACH).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

CLOBAZAM-SYMPAZAN

Products Affected

- SYMPAZAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: LENNOX-GASTAUT SYNDROME (LGS): THERAPY IS PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	LGS: INITIAL: CONTRAINDICATION TO OR UNABLE TO SWALLOW CLOBAZAM TABLETS OR SUSPENSION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

COBIMETINIB

Products Affected

- COTELLIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

COLLAGENASE

Products Affected

- SANTYL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CORTICOTROPIN-CORTROPHIN

Products Affected

- CORTROPHIN GEL

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

CRIZOTINIB CAPSULE

Products Affected

- XALKORI ORAL CAPSULE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CRIZOTINIB PELLETS

Products Affected

- XALKORI ORAL PELLET 150 MG, 20 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	NON-SMALL CELL LUNG CANCER (NSCLC), ANAPLASTIC LARGE CELL LYMPHOMA (ALCL), INFLAMMATORY MYOFIBROBLASTIC TUMOR (IMT): UNABLE TO SWALLOW CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DABRAFENIB CAPSULES

Products Affected

- TAFINLAR ORAL CAPSULE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DABRAFENIB SUSPENSION

Products Affected

- TAFINLAR ORAL TABLET FOR SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	UNABLE TO SWALLOW TAFINILAR CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DACOMITINIB

Products Affected

- VIZIMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC): NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE-INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DALFAMPRIDINE

Products Affected

- *dalfampridine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	MULTIPLE SCLEROSIS (MS): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR
Other Criteria	MS: INITIAL: HAS SYMPTOMS OF A WALKING DISABILITY (E.G., MILD TO MODERATE BILATERAL LOWER EXTREMITY WEAKNESS, UNILATERAL WEAKNESS PLUS LOWER EXTREMITY OR TRUNCAL ATAXIA). RENEWAL: IMPROVEMENT IN WALKING ABILITY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DAROLUTAMIDE

Products Affected

- NUBEQA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC), METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

DASATINIB-SPRYCEL

Products Affected

- *dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND DASATINIB IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DECITABINE/CEDAZURIDINE

Products Affected

- INQOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DEFERASIROX

Products Affected

- *deferasirox oral tablet 180 mg, 90 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS: SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 1000 MCG/L. CHRONIC IRON OVERLOAD IN NON-TRANSFUSION DEPENDENT THALASSEMIA (NTDT): 1) SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 300 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS), AND 2) LIVER IRON CONCENTRATION (LIC) OF 5 MG FE/G OF LIVER DRY WEIGHT OR GREATER. RENEWAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS: SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 500 MCG/L. NTDT: 1) SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 300 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS) OR 2) LIC OF 3 MG FE/G OF LIVER DRY WEIGHT OR GREATER.
Age Restrictions	
Prescriber Restrictions	INITIAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS OR NTDT: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR HEMATOLOGIST/ONCOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS OR NTDT: DEFERASIROX SPRINKLE PACKETS: TRIAL OF OR CONTRAINDICATION TO GENERIC DEFERASIROX ORAL TABLET OR TABLET FOR ORAL SUSPENSION.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

DENOSUMAB-BMWO - OSENVELT

Products Affected

- OSENVELT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DEUTETRABENAZINE

Products Affected

- AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG
- AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 18 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG
- AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE

PACK 12-18-24-30 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HUNTINGTON DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST. TARDIVE DYSKINESIA: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR MOVEMENT DISORDER SPECIALIST.
Coverage Duration	PLAN YEAR
Other Criteria	TARDIVE DYSKINESIA: HISTORY OF USING AGENTS THAT CAUSE TARDIVE DYSKINESIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DICLOFENAC TOPICAL SOLUTION

Products Affected

- *diclofenac sodium topical solution in metered-dose pump*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	OSTEOARTHRITIS OF THE KNEE: TRIAL OF OR CONTRAINDICATION TO A FORMULARY VERSION OF DICLOFENAC SODIUM 1.5% TOPICAL DROPS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

DIHYDROERGOTAMINE - NASAL

Products Affected

- *dihydroergotamine nasal*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	ACUTE MIGRAINE TREATMENT: 1) NO CONCURRENT USE WITH ANY OTHER DIHYDROERGOTAMINE OR ERGOTAMINE MEDICATIONS, AND 2) TRIAL OF OR CONTRAINDICATION TO BOTH OF THE FOLLOWING PREFERRED AGENTS: TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN), CGRP INHIBITOR FOR ACUTE MIGRAINE TREATMENT (NURTEC ODT, UBRELVY).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

DIMETHYL FUMARATE

Products Affected

- *dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg, 120 mg (14)- 240 mg (46), 240 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DIROXIMEL FUMARATE

Products Affected

- VUMERITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DORDAVIPRONE

Products Affected

- MODEYSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DRONABINOL CAPSULE

Products Affected

- *dronabinol oral capsule*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	NAUSEA AND VOMITING ASSOCIATED WITH CANCER CHEMOTHERAPY: TRIAL OF OR CONTRAINDICATION TO ONE ANTIEMETIC THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

DROXIDOPA

Products Affected

- *droxidopa*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

DUPILUMAB

Products Affected

- DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML
- DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

DUVELISIB

Products Affected

- COPIKTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

EDARAVONE ORAL

Products Affected

- RADICAVA ORS STARTER KIT SUSP

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

EFLORNITHINE

Products Affected

- IWILFIN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ELACESTRANT

Products Affected

- ORSERDU ORAL TABLET 345 MG, 86 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ELAPEGADEMASE-LVLR

Products Affected

- REVCOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ADENOSINE DEAMINASE SEVERE COMBINED IMMUNE DEFICIENCY (ADA-SCID): INITIAL: ADA-SCID AS MANIFESTED BY: 1) CONFIRMATORY GENETIC TEST, OR 2) SUGGESTIVE LABORATORY FINDINGS (E.G., ELEVATED DEOXYADENOSINE NUCLEOTIDE [DAXP] LEVELS, LYMPHOPENIA) AND HALLMARK SIGNS/SYMPTOMS (E.G., RECURRENT INFECTIONS, FAILURE TO THRIVE, PERSISTENT DIARRHEA).
Age Restrictions	
Prescriber Restrictions	ADA-SCID: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH IMMUNOLOGIST, HEMATOLOGIST/ONCOLOGIST, OR PHYSICIAN SPECIALIZING IN INHERITED METABOLIC DISORDERS.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR
Other Criteria	ADA-SCID: RENEWAL: 1) IMPROVEMENT OR MAINTENANCE OF IMMUNE FUNCTION FROM BASELINE, AND 2) HAS NOT RECEIVED SUCCESSFUL HCT OR GENE THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ELEXACAFTOR-TEZACAFTOR-IVACAFTOR

Products Affected

- TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL
- TRIKAFTA ORAL TABLETS, SEQUENTIAL

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ELTROMBOPAG - PROMACTA

Products Affected

- *eltrombopag olamine oral powder in packet 12.5 mg, 25 mg*
- *eltrombopag olamine oral tablet 12.5 mg, 25 mg, 50 mg, 75 mg*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ENASIDENIB

Products Affected

- IDHIFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ENCORAFENIB

Products Affected

- BRAFTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ENSARTINIB

Products Affected

- ENSACOVE ORAL CAPSULE 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ENTRECTINIB CAPSULES

Products Affected

- ROZLYTREK ORAL CAPSULE 100 MG, 200 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ENTRECTINIB PELLETS

Products Affected

- ROZLYTREK ORAL PELLETS IN PACKET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC), SOLID TUMORS: 1) TRIAL OF OR CONTRAINDICATION TO ROZLYTREK CAPSULES MADE INTO AN ORAL SUSPENSION, AND 2) DIFFICULTY OR UNABLE TO SWALLOW CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ENZALUTAMIDE

Products Affected

- XTANDI ORAL CAPSULE
- XTANDI ORAL TABLET 40 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	NON-METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (NMCSPC): HIGH RISK FOR METASTASIS (I.E. PSA DOUBLING TIME OF 9 MONTHS OR LESS). METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC), NON-METASTATIC CRPC (NMCRPC), METASTATIC CSPC (MCSPC), NMCSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

EPOETIN ALFA-EPBX

Products Affected

- RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ERDAFITINIB

Products Affected

- BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ERENUMAB-AOOE

Products Affected

- AIMOVIG AUTOINJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR
Other Criteria	MIGRAINE PREVENTION: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ERLOTINIB

Products Affected

- *erlotinib oral tablet 100 mg, 150 mg, 25 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ETANERCEPT

Products Affected

- ENBREL MINI
- ENBREL SUBCUTANEOUS SOLUTION
- ENBREL SUBCUTANEOUS SYRINGE
- ENBREL SURECLICK

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ETRASIMOD

Products Affected

- VELSIPITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	ULCERATIVE COLITIS (UC): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	UC: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: SELARSDI/YESINTEK/OTULFI, XELJANZ, HUMIRA/ADALIMUMAB-AATY/HADLIMA, RINVOQ, SKYRIZI, TREMFYA. INITIAL/RENEWAL: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

EVEROLIMUS-AFINITOR

Products Affected

- *everolimus (antineoplastic) oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*
- *torpenz oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*
- *yulithira oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

EVEROLIMUS-AFINITOR DISPERZ

Products Affected

- *everolimus (antineoplastic) oral tablet for suspension*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	TUBEROUS SCLEROSIS COMPLEX (TSC) ASSOCIATED PARTIAL-ONSET SEIZURES: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	PLAN YEAR
Other Criteria	TSC ASSOCIATED PARTIAL-ONSET SEIZURES: INITIAL: TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENTS: 1) EPIDIOLEX, AND 2) ONE OTHER ANTIEPILEPTIC AGENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

FECAL MICROBIOTA CAPSULE

Products Affected

- VOWST

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

FEDRATINIB

Products Affected

- INREBIC

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

FENFLURAMINE

Products Affected

- FINTEPLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: DRAVET SYNDROME, LENNOX-GASTAUT SYNDROME (LGS): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: LGS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING ANTIEPILEPTIC MEDICATIONS: RUFINAMIDE, FELBAMATE, CLOBAZAM, TOPIRAMATE, LAMOTRIGINE, CLONAZEPAM.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

FEZOLINETANT

Products Affected

- VEOZAH

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

FILGRASTIM-AYOW

Products Affected

- RELEUKO SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	PLAN YEAR
Other Criteria	TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT NIVESTYM, WHERE INDICATIONS ALIGN.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

FINERENONE

Products Affected

- KERENDIA ORAL TABLET 10 MG, 20 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: HEART FAILURE (HF): 1) NEW YORK HEART ASSOCIATION (NYHA) CLASS II-IV, AND 2) LEFT VENTRICULAR EJECTION FRACTION OF AT LEAST 40 PERCENT NOT DUE TO AN UNDERLYING CAUSE (E.G., INFILTRATIVE CARDIOMYOPATHY, HYPERTROPHIC CARDIOMYOPATHY, VALVULAR DISEASE, PERICARDIAL DISEASE, HIGH-OUTPUT HEART FAILURE).
Age Restrictions	
Prescriber Restrictions	INITIAL: HF: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	CHRONIC KIDNEY DISEASE (CKD) ASSOCIATED WITH TYPE 2 DIABETES (T2D): INITIAL: HISTORY OF AND WILL CONTINUE ON, HAS A CONTRAINDICATION, OR INTOLERANCE TO AN ANGIOTENSIN CONVERTING ENZYME INHIBITOR (ACE-I) OR AN ANGIOTENSIN RECEPTOR BLOCKER (ARB). HF: INITIAL/RENEWAL: NO CONCURRENT USE WITH ANOTHER MINERALOCORTICOID (ALDOSTERONE) RECEPTOR ANTAGONIST.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

FINGOLIMOD

Products Affected

- *fingolimod*
- GILENYA ORAL CAPSULE 0.25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

FRUQUINTINIB

Products Affected

- FRUZAQLA ORAL CAPSULE 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

FUTIBATINIB

Products Affected

- LYTGOBI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INTRAHEPATIC CHOLANGIOCARCINOMA (ICCA): COMPLETE A COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), PRIOR TO THE INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GALCANEZUMAB-GNLM

Products Affected

- EMGALITY PEN
- EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML, 300 MG/3 ML (100 MG/ML X 3)

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

GANAXOLONE

Products Affected

- ZTALMY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GEFITINIB

Products Affected

- *gefitinib*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GEPIRONE

Products Affected

- EXXUA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

GILTERITINIB

Products Affected

- XOSPATA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GLASDEGIB

Products Affected

- DAURISMO ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GLATIRAMER

Products Affected

- *glatiramer subcutaneous syringe 20 mg/ml, 40 mg/ml*
- *glatopa subcutaneous syringe 20 mg/ml, 40 mg/ml*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GLP1-DULAGLUTIDE

Products Affected

- TRULICITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GLP1-SEMAGLUTIDE

Products Affected

- OZEMPIC ORAL
- OZEMPIC SUBCUTANEOUS
- RYBELSUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GLP1-TIRZEPATIDE

Products Affected

- MOUNJARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GUSELKUMAB

Products Affected

- TREMFYA ONE-PRESS
- TREMFYA PEN INDUCTION PK(2PEN)
- TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML
- TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

HIGH RISK DRUGS IN THE ELDERLY - ESTRADIOL-NORETHINDRONE

Products Affected

- *estradiol-norethindrone acet oral tablet 0.5-0.1 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	appropriate high risk medication use: 65 years of age or older. pa not required for age 0-64 years.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	VULVAR/VAGINAL ATROPHY, OSTEOPOROSIS AND VASOMOTOR SYMPTOMS OF MENOPAUSE: PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HYPOESTROGENISM TREATMENT, PALLIATIVE TREATMENT, AND HOSPICE PATIENTS WIL
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - ESTROGEN-MEDROXYPROGESTERONE

Products Affected

- PREMPHASE
- PREMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	appropriate high risk medication use: 65 years of age or older. pa not required for age 0-64 years.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - GLYBURIDE

Products Affected

- *glyburide*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	appropriate high risk medication use: 65 years of age or older. pa not required for age 0-64 years.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	TRIAL OF GLIMEPIRIDE, GLIPIZIDE, OR PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS ARE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - GLYBURIDE/METFORMIN

Products Affected

- *glyburide-metformin*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	appropriate high risk medication use: 65 years of age or older. pa not required for age 0-64 years.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - KETOROLAC

Products Affected

- *ketorolac oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	appropriate high risk medication use: 65 years of age or older. pa not required for age 0-64 years.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - PHENOBARBITAL

Products Affected

- *phenobarbital*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	appropriate high risk medication use: 65 years of age or older. pa not required for age 0-64 years.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	FOR TREATMENT OF EPILEPSY/SEIZURES IN PATIENTS WHO ARE NEWLY PRESCRIBED PHENOBARBITAL: PATIENT HAS NOT RESPONDED TO AT LEAST ONE ANTICONVULSANT OR PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - PROMETHAZINE

Products Affected

- *promethazine oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRURITUS/URTICARIA/SEASONAL/PERENNIAL ALLERGY: 1) TRIAL OF OR CONTRAINDICATION TO A NON-SEDATING ANTIHISTAMINE SUCH AS LEVOCETIRIZINE, OR 2) PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. NAUSEA
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

HIGH RISK DRUGS IN THE ELDERLY - SCOPOLAMINE

Products Affected

- *scopolamine base*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	appropriate high risk medication use: 65 years of age or older. pa not required for age 0-64 years.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS REQUIRE PHYSICIAN ATTESTATION THAT REQUESTED MEDICATION IS USED TO TREAT A DIAGNOSIS UNRELATED TO THE TERMINAL ILLNESS OR RELATED
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY-INDOMETHACIN

Products Affected

- *indomethacin oral capsule 25 mg, 50 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	appropriate high risk medication use: 65 years of age or older. pa not required for age 0-64 years.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY-MEGESTROL

Products Affected

- *megestrol 400 mg/10 ml susp cup outer*
- *megestrol oral suspension 400 mg/10 ml (40 mg/ml)*
- *megestrol oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	appropriate high risk medication use: 65 years of age or older. pa not required for age 0-64 years.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY-PAROXETINE

Products Affected

- *paroxetine hcl*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	appropriate high risk medication use: 65 years of age or older. pa not required for age 0-64 years.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IBERDOMIDE

Products Affected

- ZENBEXUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IBRUTINIB

Products Affected

- IMBRUVICA ORAL CAPSULE 140 MG, 70 MG
- IMBRUVICA ORAL SUSPENSION
- IMBRUVICA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	CHRONIC GRAFT VS HOST DISEASE (CGVHD): NO CONCURRENT USE WITH JAKAFI, NIKTIMVO, OR REZUROCK.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ICATIBANT

Products Affected

- *icatibant*
- *sajazir*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY ANGIOEDEMA (HAE): INITIAL: 1) TYPE I OR II HAE CONFIRMED BY ONE OF THE FOLLOWING COMPLEMENT TESTS: C1-INH PROTEIN LEVELS, C4 PROTEIN LEVELS, C1-INH FUNCTIONAL LEVELS, C1Q, OR 2) TYPE III HAE CONFIRMED BY: (A) RECURRENT, NON-URTICARIAL ANGIOEDEMA INVOLVING THE SKIN, GASTROINTESTINAL TRACT, OR AIRWAY, CONSISTENT WITH BRADYKININ-MEDIATED HAE AND ATTACKS NOT EXPLAINED BY HISTAMINERGIC/URTICARIAL ANGIOEDEMA, AND (B) OTHER CAUSES OF ANGIOEDEMA HAVE BEEN EXCLUDED, INCLUDING ACE-INHIBITOR/ARB-ASSOCIATED ANGIOEDEMA, ACQUIRED C1-INH DEFICIENCY, AND MAST-CELL/HISTAMINERGIC ANGIOEDEMA.
Age Restrictions	
Prescriber Restrictions	HAE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ALLERGIST, IMMUNOLOGIST, HEMATOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR
Other Criteria	HAE: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER MEDICATIONS FOR THE TREATMENT OF ACUTE HAE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

IMATINIB

Products Affected

- *imatinib oral tablet 100 mg, 400 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PHILADELPHIA CHROMOSOME POSITIVE CHRONIC MYELOID LEUKEMIA: PATIENT HAS NOT RECEIVED A PREVIOUS TREATMENT WITH ANOTHER TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IMATINIB SOLUTION

Products Affected

- IMKELDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PHILADELPHIA CHROMOSOME POSITIVE CHRONIC MYELOID LEUKEMIA: PATIENT HAS NOT RECEIVED A PREVIOUS TREATMENT WITH ANOTHER TYROSINE KINASE INHIBITOR. ALL INDICATIONS: UNABLE TO SWALLOW GENERIC IMATINIB TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IMLUNESTRANT

Products Affected

- INLURIYO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INAVOLISIB

Products Affected

- ITOVEBI ORAL TABLET 3 MG, 9 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INFLIXIMAB

Products Affected

- ZYMFENTRA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

INSULIN SUPPLIES PAYMENT DETERMINATION

Products Affected

- 1ST TIER UNIFINE PENTP 5MM 31G
- 1ST TIER UNIFINE PNTIP 4MM 32G
- 1ST TIER UNIFINE PNTIP 6MM 31G
- 1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT
- 1ST TIER UNIFINE PNTP 29GX1/2"
- 1ST TIER UNIFINE PNTP 31GX3/16
- 1ST TIER UNIFINE PNTP 32GX5/32
- ADVOCATE INS 0.3 ML 30GX5/16"
- ADVOCATE INS 0.3 ML 31GX5/16"
- ADVOCATE INS 0.5 ML 30GX5/16"
- ADVOCATE INS 0.5 ML 31GX5/16"
- ADVOCATE INS 1 ML 31GX5/16"
- ADVOCATE INS SYR 1 ML 30GX5/16
- ADVOCATE PEN NEEDLE 32G 4MM
- ADVOCATE PEN NEEDLE 4MM 33G
- ADVOCATE PEN NEEDLES 5MM 31G
- ADVOCATE PEN NEEDLES 8MM 31G
- ALCOHOL PADS
- AQINJECT PEN NEEDLE 31G 5MM
- AQINJECT PEN NEEDLE 32G 4MM
- ASSURE ID DUO PRO NDL 31G 5MM
- ASSURE ID DUO-SHIELD 30GX3/16"
- ASSURE ID DUO-SHIELD 30GX5/16"
- ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"
- ASSURE ID PEN NEEDLE 30GX5/16"
- ASSURE ID PRO PEN NDL 30G 5MM
- ASSURE ID SYR 0.5 ML 31GX15/64"
- ASSURE ID SYR 1 ML 31GX15/64"
- AUTOKEEPER SAF PEN NDL 30G 8MM
- BD AUTOSHIELD DUO NDL 5MMX30G
- BD ECLIPSE 30GX1/2" SYRINGE
- BD INS SYR 0.3 ML 8MMX31G(1/2)
- BD INS SYR UF 0.3 ML 12.7MMX30G
- BD INS SYR UF 0.5 ML 12.7MMX30G NOT FOR RETAIL SALE
- BD INSULIN SYR 1 ML 27GX12.7MM
- BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE
- BD SAFETGLD INS 0.3 ML 29G 13MM
- BD SAFETYGLD INS 0.3 ML 31G 8MM
- BD SAFETYGLD INS 0.5 ML 30G 8MM
- BD SAFETYGLD INS 1 ML 29G 13MM
- BD SAFETYGLID INS 1 ML 6MMX31G
- BD SAFETYGLIDE SYRINGE 27GX5/8
- BD SAFTYGLD INS 0.3 ML 6MMX31G
- BD SAFTYGLD INS 0.5 ML 29G 13MM
- BD SAFTYGLD INS 0.5 ML 6MMX31G
- BD SINGLE USE SWAB
- BD UF MICRO PEN NEEDLE 6MMX32G
- BD UF MINI PEN NEEDLE 5MMX31G
- BD UF NANO PEN NEEDLE 4MMX32G
- BD UF ORIG PEN NDL 12.7MMX29G
- BD UF SHORT PEN NEEDLE 8MMX31G
- BD VEO INS 0.3 ML 6MMX31G (1/2)
- BD VEO INS SYRING 1 ML 6MMX31G
- BD VEO INS SYRN 0.3 ML 6MMX31G
- BD VEO INS SYRN 0.5 ML 6MMX31G
- BORDERED GAUZE 2"X2"
- CAREFINE PEN NEEDLE 12.7MM 29G HRI
- CAREFINE PEN NEEDLE 4MM 32G
- CAREFINE PEN NEEDLE 5MM 32G
- CAREFINE PEN NEEDLE 6MM 31G HRI
- CAREFINE PEN NEEDLE 8MM 30G HRI
- CAREFINE PEN NEEDLES 6MM 32G
- CAREFINE PEN NEEDLES 8MM 31G
- CARETOUCH ALCOHOL 70% PREP PAD
- CARETOUCH PEN NEEDLE 29G 12MM
- CARETOUCH PEN NEEDLE 31GX1/4"
- CARETOUCH PEN NEEDLE 31GX3/16"
- CARETOUCH PEN NEEDLE 31GX5/16"
- CARETOUCH PEN NEEDLE 32GX3/16"
- CARETOUCH PEN NEEDLE 32GX5/32"
- CARETOUCH SYR 0.3 ML 31GX5/16"
- CARETOUCH SYR 0.5 ML 30GX5/16"
- CARETOUCH SYR 0.5 ML 31GX5/16"
- CARETOUCH SYR 1 ML 28GX5/16"
- CARETOUCH SYR 1 ML 29GX5/16"
- CARETOUCH SYR 1 ML 30GX5/16"
- CARETOUCH SYR 1 ML 31GX5/16"

- CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE
- CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND
- COMFORT EZ 0.3 ML 31G 15/64"
- COMFORT EZ 0.5 ML 31G 15/64"
- COMFORT EZ INS 0.3 ML 30GX1/2"
- COMFORT EZ INS 0.3 ML 30GX5/16"
- COMFORT EZ INS 1 ML 31G 15/64"
- COMFORT EZ INS 1 ML 31GX5/16"
- COMFORT EZ INSULIN SYR 0.3 ML
- COMFORT EZ INSULIN SYR 0.5 ML
- COMFORT EZ PEN NEEDLE 12MM 29G
- COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO
- COMFORT EZ PEN NEEDLES 4MM 33G
- COMFORT EZ PEN NEEDLES 5MM 31G MINI
- COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI
- COMFORT EZ PEN NEEDLES 5MM 33G
- COMFORT EZ PEN NEEDLES 6MM 31G
- COMFORT EZ PEN NEEDLES 6MM 32G
- COMFORT EZ PEN NEEDLES 6MM 33G
- COMFORT EZ PEN NEEDLES 8MM 31G SHORT
- COMFORT EZ PEN NEEDLES 8MM 32G
- COMFORT EZ PEN NEEDLES 8MM 33G
- COMFORT EZ PLS PEN NDL 32G 4MM
- COMFORT EZ PRO PEN NDL 30G 8MM
- COMFORT EZ PRO PEN NDL 31G 4MM
- COMFORT EZ PRO PEN NDL 31G 5MM
- COMFORT EZ SYR 0.3 ML 29GX1/2"
- COMFORT EZ SYR 0.5 ML 28GX1/2"
- COMFORT EZ SYR 0.5 ML 29GX1/2"
- COMFORT EZ SYR 0.5 ML 30GX1/2"
- COMFORT EZ SYR 1 ML 27G 12.7MM
- COMFORT EZ SYR 1 ML 28GX1/2"
- COMFORT EZ SYR 1 ML 29GX1/2"
- COMFORT EZ SYR 1 ML 30GX1/2"
- COMFORT EZ SYR 1 ML 30GX5/16"
- COMFORT POINT PEN NDL 31GX1/3"
- COMFORT POINT PEN NDL 31GX1/6"
- COMFORT TOUCH PEN NDL 31G 4MM
- COMFORT TOUCH PEN NDL 31G 5MM
- COMFORT TOUCH PEN NDL 31G 6MM
- COMFORT TOUCH PEN NDL 31G 8MM
- COMFORT TOUCH PEN NDL 32G 4MM
- COMFORT TOUCH PEN NDL 32G 5MM
- COMFORT TOUCH PEN NDL 32G 6MM
- COMFORT TOUCH PEN NDL 32G 8MM
- COMFORT TOUCH PEN NDL 33G 4MM
- COMFORT TOUCH PEN NDL 33G 5MM
- COMFORT TOUCH PEN NDL 33G 6MM
- CURITY ALCOHOL PREPS 2 PLY,MEDIUM
- CURITY GAUZE PADS
- CURITY GAUZE SPONGES (12 PLY)-200/BAG
- DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII
- DERMACEA GAUZE 2"X2" SPONGE 8 PLY
- DERMACEA NON-WOVEN 2"X2" SPNGE
- DROPLET 0.3 ML 29G 12.7MM(1/2) OUTER
- DROPLET 0.3 ML 30G 12.7MM(1/2) OUTER
- DROPLET 0.5 ML 29GX12.5MM(1/2)
- DROPLET 0.5 ML 30GX12.5MM(1/2)
- DROPLET INS 0.3 ML 29GX12.5MM
- DROPLET INS 0.3 ML 30G 8MM(1/2) OUTER
- DROPLET INS 0.3 ML 30GX12.5MM
- DROPLET INS 0.3 ML 31G 6MM(1/2) OUTER
- DROPLET INS 0.3 ML 31G 8MM(1/2) OUTER
- DROPLET INS 0.5 ML 29G 12.7MM OUTER
- DROPLET INS 0.5 ML 30G 12.7MM OUTER
- DROPLET INS 0.5 ML 30GX6MM(1/2)
- DROPLET INS 0.5 ML 30GX8MM(1/2)
- DROPLET INS 0.5 ML 31GX6MM(1/2)
- DROPLET INS 0.5 ML 31GX8MM(1/2)
- DROPLET INS SYR 0.3 ML 30GX6MM
- DROPLET INS SYR 0.3 ML 30GX8MM
- DROPLET INS SYR 0.3 ML 31GX6MM
- DROPLET INS SYR 0.3 ML 31GX8MM
- DROPLET INS SYR 0.5 ML 30G 8MM OUTER
- DROPLET INS SYR 0.5 ML 31G 6MM

OUTER
- DROPLET INS SYR 0.5 ML 31G 8MM OUTER
- DROPLET INS SYR 1 ML 29G 12.7MM OUTER
- DROPLET INS SYR 1 ML 30G 12.5MM
- DROPLET INS SYR 1 ML 30G 6MM
- DROPLET INS SYR 1 ML 30G 8MM OUTER
- DROPLET INS SYR 1 ML 31G 6MM OUTER
- DROPLET INS SYR 1 ML 31G 8MM
- DROPLET MICRON 34G X 9/64"
- DROPLET PEN NEEDLE 29G 10MM
- DROPLET PEN NEEDLE 29G 12MM
- DROPLET PEN NEEDLE 30G 8MM
- DROPLET PEN NEEDLE 31G 5MM
- DROPLET PEN NEEDLE 31G 6MM
- DROPLET PEN NEEDLE 31G 8MM
- DROPLET PEN NEEDLE 32G 4MM
- DROPLET PEN NEEDLE 32G 5MM
- DROPLET PEN NEEDLE 32G 6MM
- DROPLET PEN NEEDLE 32G 8MM
- DROPSAFE ALCOHOL 70% PREP PADS
- DROPSAFE INS SYR 0.3 ML 31G 6MM
- DROPSAFE INS SYR 0.3 ML 31G 8MM
- DROPSAFE INS SYR 0.5 ML 31G 6MM
- DROPSAFE INS SYR 0.5 ML 31G 8MM
- DROPSAFE INSUL SYR 1 ML 31G 6MM
- DROPSAFE INSUL SYR 1 ML 31G 8MM
- DROPSAFE INSULN 1 ML 29G 12.5MM
- DROPSAFE PEN NEEDLE 31G 4MM
- DROPSAFE PEN NEEDLE 31G 5MM
- DROPSAFE PEN NEEDLE 31G 8MM
- DROPSAFE PEN NEEDLE 31GX1/4"
- EASY CMFT SFTY PEN NDL 31G 5MM
- EASY CMFT SFTY PEN NDL 31G 6MM
- EASY CMFT SFTY PEN NDL 32G 4MM
- EASY COMFORT 0.3 ML 31G 1/2"
- EASY COMFORT 0.3 ML 31G 5/16"
- EASY COMFORT 0.5 ML 30GX1/2"
- EASY COMFORT 0.5 ML 31GX5/16"
- EASY COMFORT 0.5 ML 32GX5/16"
- EASY COMFORT 0.5 ML SYRINGE
- EASY COMFORT 1 ML 31GX5/16"
- EASY COMFORT 1 ML 32GX5/16"
- EASY COMFORT ALCOHOL 70% PAD
- EASY COMFORT INSULIN 1 ML SYR
- EASY COMFORT PEN NDL 29G 4MM
- EASY COMFORT PEN NDL 29G 5MM
- EASY COMFORT PEN NDL 31GX1/4"
- EASY COMFORT PEN NDL 31GX3/16"
- EASY COMFORT PEN NDL 31GX5/16"
- EASY COMFORT PEN NDL 32GX5/32"
- EASY COMFORT PEN NDL 33G 4MM
- EASY COMFORT PEN NDL 33G 5MM
- EASY COMFORT PEN NDL 33G 6MM
- EASY COMFORT SYR 0.5 ML 29G 8MM
- EASY COMFORT SYR 1 ML 29G 8MM
- EASY COMFORT SYR 1 ML 30GX1/2"
- EASY GLIDE INS 0.3 ML 31GX6MM
- EASY GLIDE INS 0.5 ML 31GX6MM
- EASY GLIDE INS 1 ML 31GX6MM
- EASY GLIDE PEN NEEDLE 4MM 33G
- EASY TOUCH 0.3 ML 30G 8MM(1/2)
- EASY TOUCH 0.3 ML 31G 6MM(1/2)
- EASY TOUCH 0.3 ML 31G 8MM(1/2)
- EASY TOUCH 0.3 ML SYR 30GX1/2"
- EASY TOUCH 0.5 ML SYR 27GX1/2"
- EASY TOUCH 0.5 ML SYR 29GX1/2"
- EASY TOUCH 0.5 ML SYR 30GX1/2"
- EASY TOUCH 0.5 ML SYR 30GX5/16
- EASY TOUCH 1 ML SYR 29GX1/2"
- EASY TOUCH 1 ML SYR 30GX1/2"
- EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED
- EASY TOUCH AUTO 0.5 ML 30G 6MM
- EASY TOUCH AUTO 0.5 ML 30G 8MM
- EASY TOUCH AUTORET 1 ML 30G 6MM
- EASY TOUCH AUTORET 1 ML 30G 8MM
- EASY TOUCH FLIPLOK 1 ML 27GX0.5
- EASY TOUCH INS 0.3 ML 30G 8MM
- EASY TOUCH INS 0.3 ML 31G 8MM
- EASY TOUCH INS 0.5 ML 30G 8MM
- EASY TOUCH INS 0.5 ML 31G 6MM
- EASY TOUCH INS 0.5 ML 31G 8MM
- EASY TOUCH INS 1 ML 27G 1/2"
- EASY TOUCH INS 1 ML 28G 12.7MM
- EASY TOUCH INS SYR 1 ML 30G 8MM
- EASY TOUCH INS SYR 1 ML 31G 6MM
- EASY TOUCH INS SYR 1 ML 31G 8MM
- EASY TOUCH INSULIN 1 ML 29GX1/2
- EASY TOUCH INSULIN 1 ML 30GX1/2
- EASY TOUCH INSULIN SYR 1 ML

- EASY TOUCH INSULIN SYR 1 ML RETRACTABLE
- EASY TOUCH INSULN 1 ML 29GX1/2"
- EASY TOUCH INSULN 1 ML 30GX1/2"
- EASY TOUCH INSULN 1 ML 30GX5/16
- EASY TOUCH INSULN 1 ML 31GX5/16
- EASY TOUCH LUER LOK INSUL 1 ML
- EASY TOUCH PEN NEEDLE 29GX1/2"
- EASY TOUCH PEN NEEDLE 30GX5/16
- EASY TOUCH PEN NEEDLE 31GX1/4"
- EASY TOUCH PEN NEEDLE 31GX3/16
- EASY TOUCH PEN NEEDLE 31GX5/16
- EASY TOUCH PEN NEEDLE 32GX1/4"
- EASY TOUCH PEN NEEDLE 32GX3/16
- EASY TOUCH PEN NEEDLE 32GX5/32
- EASY TOUCH SAF PEN NDL 29G 5MM
- EASY TOUCH SAF PEN NDL 29G 8MM
- EASY TOUCH SAF PEN NDL 30G 5MM
- EASY TOUCH SAF PEN NDL 30G 8MM
- EASY TOUCH SYR 0.5 ML 28G 12.7MM
- EASY TOUCH SYR 0.5 ML 29G 12.7MM
- EASY TOUCH SYR 1 ML 27G 16MM
- EASY TOUCH UNI-SLIP SYR 1 ML
- EASYLIFE ALCOHOL 70% PADS
- EASYLIFE INS PEN NDL 29G 12MM
- EASYLIFE INS PEN NDL 31G 4MM
- EASYLIFE INS PEN NDL 31G 5MM
- EASYLIFE INS PEN NDL 31G 6MM
- EASYLIFE INS PEN NDL 31G 8MM
- EASYLIFE INS PEN NDL 32G 4MM
- EASYLIFE INS PEN NDL 32G 5MM
- EASYLIFE INS PEN NDL 32G 6MM
- EASYLIFE INS PEN NDL 32G 8MM
- EASYLIFE INS PEN NDL 33G 4MM
- EASYLIFE INS PEN NDL 33G 5MM
- EASYLIFE INS PEN NDL 33G 6MM
- EASYLIFE INS PEN NDL 33G 8MM
- EASYLIFE INS SYR 0.5 ML 30G 8MM
- EASYLIFE INS SYR 1 ML 30G 8MM
- EASYLIFE INS SYR 1 ML 31G 8MM
- EASYLIFE SAFTY PEN NDL 31G 4MM
- EASYLIFE SAFTY PEN NDL 31G 5MM
- EASYLIFE SYR 1 ML 30G 12.7MM
- EASYTOUCH SAF PEN NDL 30G 6MM
- EMBRACE PEN NEEDLE 29G 12MM
- EMBRACE PEN NEEDLE 30G 5MM
- EMBRACE PEN NEEDLE 30G 8MM
- EMBRACE PEN NEEDLE 31G 5MM
- EMBRACE PEN NEEDLE 31G 6MM
- EMBRACE PEN NEEDLE 31G 8MM
- EMBRACE PEN NEEDLE 32G 4MM
- EXEL U100 0.3 ML 29GX1/2"
- EXEL U100 0.3 ML 30GX5/16"
- FT STERILE PADS 2" X 2"
- GAUZE PAD TOPICAL BANDAGE 2 X 2 "
- GNP ALCOHOL SWAB STERILE, TWO PLY
- GNP PEN NEEDLE 31G 5MM
- GNP PEN NEEDLE 32G 6MM
- GNP SIMPLI PEN NEEDLE 32G 4MM
- GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT
- GNP ULT CMFRT 0.5 ML 29GX1/2"
- GNP ULTR CMFRT 0.5 ML 30GX5/16
- GNP ULTRA COMFORT 1 ML SYRINGE
- GNP ULTRA COMFORT 3/10 ML SYR
- GS PEN NEEDLE 31G X 8MM
- HEALTHWISE INS 0.3 ML 30GX5/16"
- HEALTHWISE INS 0.3 ML 31GX5/16"
- HEALTHWISE INS 0.5 ML 30GX5/16"
- HEALTHWISE INS 0.5 ML 31GX5/16"
- HEALTHWISE INS 1 ML 30GX5/16"
- HEALTHWISE INS 1 ML 31GX5/16"
- HEALTHWISE PEN NEEDLE 31G 5MM
- HEALTHWISE PEN NEEDLE 31G 8MM
- HEALTHWISE PEN NEEDLE 32G 4MM
- HEALTHY ACCENTS PENTIP 5MM 31G
- HEALTHY ACCENTS PENTIP 6MM 31G
- HEALTHY ACCENTS PENTIP 8MM 31G
- HEALTHY ACCENTS PENTP 12MM 29G
- HEB INCONTROL ALCOHOL 70% PADS
- INCONTROL PEN NEEDLE 12MM 29G
- INCONTROL PEN NEEDLE 4MM 32G
- INCONTROL PEN NEEDLE 5MM 31G
- INCONTROL PEN NEEDLE 6MM 31G
- INCONTROL PEN NEEDLE 8MM 31G
- INSULIN 1 ML SYRINGE
- INSULIN 1/2 ML SYRINGE
- INSULIN 3/10 ML SYRINGE
- INSULIN SYR 0.3 ML 31GX1/4(1/2)
- INSULIN SYRIN 0.5 ML 28GX1/2" (OTC)
- INSULIN SYRIN 0.5 ML 29GX1/2" (OTC)
- INSULIN SYRIN 0.5 ML 30GX1/2" (RX)

- INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC)
- INSULIN SYRING 0.5 ML 27G 1/2" INNER
- INSULIN SYRINGE 0.3 ML
- INSULIN SYRINGE 0.3 ML 31GX1/4
- INSULIN SYRINGE 0.5 ML
- INSULIN SYRINGE 0.5 ML 31GX1/4
- INSULIN SYRINGE 1 ML
- INSULIN SYRINGE 1 ML 27G 1/2" INNER
- INSULIN SYRINGE 1 ML 28GX1/2" (OTC)
- INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC)
- INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC)
- INSULIN SYRINGE 1 ML 31GX1/4"
- INSULIN SYRINGE 1 ML 31GX5/16" SHORT NEEDLE,THIN II (OTC)
- INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE
- INSUPEN PEN NEEDLE 29GX1/2"
- INSUPEN PEN NEEDLE 31G 8MM
- INSUPEN PEN NEEDLE 31GX3/16"
- INSUPEN PEN NEEDLE 32G 4MM
- INSUPEN PEN NEEDLE 32G 6MM (RX)
- IV ANTISEPTIC WIPES
- KENDALL ALCOHOL 70% PREP PAD
- LISCO SPONGES 100/BAG
- MAGELLAN INSUL SYRINGE 0.3 ML
- MAGELLAN INSUL SYRINGE 0.5 ML
- MAGELLAN INSULIN SYR 0.3 ML
- MAGELLAN INSULIN SYR 0.5 ML
- MAGELLAN INSULIN SYRINGE 1 ML
- MAXI-COMFORT INS 0.5 ML 28G
- MAXI-COMFORT INS 1 ML 28GX1/2"
- MAXICOMFORT II PEN NDL 31GX6MM
- MAXICOMFORT INS 0.5 ML 27GX1/2"
- MAXICOMFORT INS 1 ML 27GX1/2"
- MAXICOMFORT PEN NDL 29G X 5MM
- MAXICOMFORT PEN NDL 29G X 8MM
- MICRODOT PEN NEEDLE 31GX6MM
- MICRODOT PEN NEEDLE 32GX4MM
- MICRODOT PEN NEEDLE 33GX4MM
- MICRODOT READYGARD NDL 31G 5MM OUTER
- MINI PEN NEEDLE 32G 5MM
- MINI PEN NEEDLE 32G 8MM
- MINI PEN NEEDLE 33G 5MM
- MINI PEN NEEDLE 33G 6MM
- MINI ULTRA-THIN II PEN NDL 31G STERILE
- MONOJECT 0.5 ML SYRN 28GX1/2"
- MONOJECT 1 ML SYRN 27X1/2"
- MONOJECT 1 ML SYRN 28GX1/2" (OTC)
- MONOJECT INSUL SYR U100 (OTC)
- MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC)
- MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC)
- MONOJECT INSUL SYR U100 1 ML
- MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC)
- MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)
- MONOJECT INSULIN SYR 0.3 ML
- MONOJECT INSULIN SYR 0.3 ML (OTC)
- MONOJECT INSULIN SYR 0.5 ML
- MONOJECT INSULIN SYR 0.5 ML (OTC)
- MONOJECT INSULIN SYR 1 ML 3'S (OTC)
- MONOJECT INSULIN SYR U-100
- MONOJECT SYRINGE 0.3 ML
- MONOJECT SYRINGE 0.5 ML
- MONOJECT SYRINGE 1 ML
- NANO 2 GEN PEN NEEDLE 32G 4MM
- NANO PEN NEEDLE 32G 4MM
- NOVOFINE 32G NEEDLES
- NOVOFINE AUTOCOVER 30G NEEDLE
- NOVOFINE PLUS PEN NDL 32GX1/6"
- PEN NEEDLE 30G 5MM OUTER
- PEN NEEDLE 30G 8MM INNER
- PEN NEEDLE 30G X 5/16"
- PEN NEEDLE 31G X 1/4" HRI
- PEN NEEDLE 33G 4MM
- PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"
- PEN NEEDLES 12MM 29G 29GX12MM,STRL
- PEN NEEDLES 4MM 32G
- PEN NEEDLES 5MM 31G 31GX5MM,STRL,MINI (OTC)

- PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC)
- PENTIPS PEN NEEDLE 29G 1/2"
- PENTIPS PEN NEEDLE 31G 1/4"
- PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM
- PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM
- PENTIPS PEN NEEDLE 32G 1/4"
- PENTIPS PEN NEEDLE 32GX5/32"
- PIP PEN NEEDLE 31G X 5MM
- PIP PEN NEEDLE 32G X 4MM
- PREVENT PEN NEEDLE 31GX1/4"
- PREVENT PEN NEEDLE 31GX5/16"
- PRO COMFORT 0.5 ML 30GX1/2"
- PRO COMFORT 0.5 ML 30GX5/16"
- PRO COMFORT 0.5 ML 31GX5/16"
- PRO COMFORT 1 ML 30GX1/2"
- PRO COMFORT 1 ML 30GX5/16"
- PRO COMFORT 1 ML 31GX5/16"
- PRO COMFORT ALCOHOL 70% PADS
- PRO COMFORT PEN NDL 32G 8MM
- PRO COMFORT PEN NDL 32G X 1/4"
- PRO COMFORT PEN NDL 4MM 32G
- PRO COMFORT PEN NDL 5MM 32G
- PRO-COMFORT ALCOHOL 70% PADS
- PRODIGY INS SYR 1 ML 28GX1/2"
- PRODIGY SYRNG 0.5 ML 31GX5/16"
- PRODIGY SYRNGE 0.3 ML 31GX5/16"
- PURE CMFT SFTY PEN NDL 31G 5MM
- PURE CMFT SFTY PEN NDL 31G 6MM
- PURE CMFT SFTY PEN NDL 32G 4MM
- PURE COMFORT ALCOHOL 70% PADS
- PURE COMFORT PEN NDL 32G 4MM
- PURE COMFORT PEN NDL 32G 5MM
- PURE COMFORT PEN NDL 32G 6MM
- PURE COMFORT PEN NDL 32G 8MM
- RA ISOPROPYL ALCOHOL 70% WIPES
- RA STERILE PADS 2"X 2"
- RAYA SURE PEN NEEDLE 29G 12MM
- RAYA SURE PEN NEEDLE 31G 4MM
- RAYA SURE PEN NEEDLE 31G 5MM
- RAYA SURE PEN NEEDLE 31G 6MM
- RELION INS SYR 0.3 ML 31GX6MM
- RELION INS SYR 0.5 ML 31GX6MM
- RELION INS SYR 1 ML 31GX15/64"
- RELION PEN NEEDLE 32GX5/32"
- RELION SYRING 0.3 ML 31GX5/16" INNER
- RELION SYRING 0.5 ML 31GX5/16" INNER (OTC)
- SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10
- SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10
- SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10
- SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10
- SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10
- SAFETY PEN NEEDLE 31G 4MM
- SAFETY PEN NEEDLE 5MM X 31G
- SAFETY SYRINGE 0.5 ML 30G 1/2"
- SECURESAFE PEN NDL 30GX5/16" OUTER
- SECURESAFE PEN NEEDLE 31G 5MM OUTER
- SECURESAFE SYR 0.5 ML 29G 1/2" OUTER
- SECURESAFE SYRNG 1 ML 29G 1/2" OUTER
- SKY SAFETY PEN NEEDLE 30G 5MM
- SKY SAFETY PEN NEEDLE 30G 8MM
- SURE CMFT SFTY PEN NDL 31G 6MM
- SURE CMFT SFTY PEN NDL 32G 4MM
- SURE COMFORT 0.5 ML SYRINGE
- SURE COMFORT 1 ML SYRINGE
- SURE COMFORT 3/10 ML SYRINGE
- SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE
- SURE COMFORT 30G PEN NEEDLE
- SURE COMFORT ALCOHOL PREP PADS
- SURE COMFORT INS 0.3 ML 31GX1/4
- SURE COMFORT INS 0.5 ML 31GX1/4
- SURE COMFORT INS 1 ML 31GX1/4"
- SURE COMFORT PEN NDL 29GX1/2" 12.7MM
- SURE COMFORT PEN NDL 31G 5MM
- SURE COMFORT PEN NDL 31G 8MM
- SURE COMFORT PEN NDL 32G 4MM
- SURE COMFORT PEN NDL 32G 6MM
- SURE-FINE PEN NEEDLES 12.7MM
- SURE-FINE PEN NEEDLES 5MM

- SURE-FINE PEN NEEDLES 8MM
- SURE-JECT INSU SYR U100 0.3 ML
- SURE-JECT INSU SYR U100 0.5 ML
- SURE-JECT INSU SYR U100 1 ML
- SURE-JECT INSUL SYR U100 1 ML
- SURE-JECT INSULIN SYRINGE 1 ML
- SURE-PREP ALCOHOL PREP PADS
- TECHLITE 0.3 ML 29GX12MM (1/2)
- TECHLITE 0.3 ML 30GX8MM (1/2)
- TECHLITE 0.3 ML 31GX6MM (1/2)
- TECHLITE 0.3 ML 31GX8MM (1/2)
- TECHLITE 0.5 ML 30GX12MM (1/2)
- TECHLITE 0.5 ML 30GX8MM (1/2)
- TECHLITE 0.5 ML 31GX6MM (1/2)
- TECHLITE 0.5 ML 31GX8MM (1/2)
- TECHLITE INS SYR 1 ML 29GX12MM
- TECHLITE INS SYR 1 ML 30GX12MM
- TECHLITE INS SYR 1 ML 31GX6MM
- TECHLITE INS SYR 1 ML 31GX8MM
- TECHLITE PEN NEEDLE 29GX1/2"
- TECHLITE PEN NEEDLE 29GX3/8"
- TECHLITE PEN NEEDLE 31GX1/4"
- TECHLITE PEN NEEDLE 31GX3/16"
- TECHLITE PEN NEEDLE 31GX5/16"
- TECHLITE PEN NEEDLE 32GX1/4"
- TECHLITE PEN NEEDLE 32GX5/16"
- TECHLITE PEN NEEDLE 32GX5/32"
- TECHLITE PLUS PEN NDL 32G 4MM
- TERUMO INS SYRINGE U100-1 ML
- TERUMO INS SYRINGE U100-1/2 ML
- TERUMO INS SYRINGE U100-1/3 ML
- TERUMO INS SYRNG U100-1/2 ML
- THINPRO INS SYRIN U100-0.3 ML
- THINPRO INS SYRIN U100-0.5 ML
- THINPRO INS SYRIN U100-1 ML
- TOPFINE INSULN PEN NDL 32G 4MM
- TRUE CMFRT PRO 0.5 ML 30G 5/16"
- TRUE CMFRT PRO 0.5 ML 31G 5/16"
- TRUE CMFRT PRO 0.5 ML 32G 5/16"
- TRUE CMFT SFTY PEN NDL 31G 5MM
- TRUE CMFT SFTY PEN NDL 31G 6MM
- TRUE CMFT SFTY PEN NDL 32G 4MM
- TRUE COMFORT 0.5 ML 30G 1/2"
- TRUE COMFORT 0.5 ML 30G 5/16"
- TRUE COMFORT 0.5 ML 31G 5/16"
- TRUE COMFORT 0.5 ML 31GX5/16"
- TRUE COMFORT 1 ML 31GX5/16"
- TRUE COMFORT ALCOHOL 70% PADS
- TRUE COMFORT PEN NDL 31G 8MM
- TRUE COMFORT PEN NDL 31GX5MM
- TRUE COMFORT PEN NDL 31GX6MM
- TRUE COMFORT PEN NDL 32G 5MM
- TRUE COMFORT PEN NDL 32G 6MM
- TRUE COMFORT PEN NDL 32GX4MM
- TRUE COMFORT PEN NDL 33G 4MM
- TRUE COMFORT PEN NDL 33G 5MM
- TRUE COMFORT PEN NDL 33G 6MM
- TRUE COMFORT PRO 1 ML 30G 1/2"
- TRUE COMFORT PRO 1 ML 30G 5/16"
- TRUE COMFORT PRO 1 ML 31G 5/16"
- TRUE COMFORT PRO 1 ML 32G 5/16"
- TRUE COMFORT PRO ALCOHOL PADS
- TRUE COMFORT SFTY 1 ML 30G 1/2"
- TRUE COMFRT PRO 0.5 ML 30G 1/2"
- TRUE COMFRT SFTY 1 ML 30G 5/16"
- TRUE COMFRT SFTY 1 ML 31G 5/16"
- TRUE COMFRT SFTY 1 ML 32G 5/16"
- TRUE-CMFRT PRO PEN NDL 31G 5MM
- TRUE-CMFRT PRO PEN NDL 31G 6MM
- TRUE-CMFRT PRO PEN NDL 31G 8MM
- TRUE-CMFRT PRO PEN NDL 32G 4MM
- TRUEPLUS PEN NEEDLE 29GX1/2"
- TRUEPLUS PEN NEEDLE 31G X 1/4"
- TRUEPLUS PEN NEEDLE 31GX3/16"
- TRUEPLUS PEN NEEDLE 31GX5/16"
- TRUEPLUS PEN NEEDLE 32GX5/32"
- TRUEPLUS SYR 0.3 ML 29GX1/2"
- TRUEPLUS SYR 0.3 ML 30GX5/16"
- TRUEPLUS SYR 0.3 ML 31GX5/16"
- TRUEPLUS SYR 0.5 ML 28GX1/2"
- TRUEPLUS SYR 0.5 ML 29GX1/2"
- TRUEPLUS SYR 0.5 ML 30GX5/16"
- TRUEPLUS SYR 0.5 ML 31GX5/16"
- TRUEPLUS SYR 1 ML 28GX1/2"
- TRUEPLUS SYR 1 ML 29GX1/2"
- TRUEPLUS SYR 1 ML 30GX5/16"
- TRUEPLUS SYR 1 ML 31GX5/16"
- ULT CFT 0.3 ML 31GX5/16" (1/2) 1/2 UNIT
- ULTICAR INS 0.3 ML 31GX1/4(1/2)
- ULTICARE INS 0.3 ML 31GX1/4"
- ULTICARE INS 0.5 ML 31GX1/4"
- ULTICARE INS 1 ML 31GX1/4"
- ULTICARE INS SYR 1 ML 30GX1/2"

- ULTICARE PEN NEEDLE 31GX3/16"
- ULTICARE PEN NEEDLE 6MM 31G
- ULTICARE PEN NEEDLE 8MM 31G
- ULTICARE PEN NEEDLES 12MM 29G
- ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM
- ULTICARE PEN NEEDLES 6MM 32G
- ULTICARE SAFE PEN NDL 30G 8MM
- ULTICARE SAFE PEN NDL 5MM 30G
- ULTICARE SYR 0.3 ML 30GX1/2"
- ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL
- ULTICARE SYR 0.5 ML 30GX1/2"
- ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL
- ULTICARE SYR 1 ML 31GX5/16"
- ULTIGUARD SAFE 1 ML 30G 12.7MM
- ULTIGUARD SAFE0.3 ML 30G 12.7MM
- ULTIGUARD SAFE0.5 ML 30G 12.7MM
- ULTIGUARD SAFEPACK 1 ML 31G 8MM
- ULTIGUARD SAFEPACK 29G 12.7MM
- ULTIGUARD SAFEPACK 31G 5MM
- ULTIGUARD SAFEPACK 31G 6MM
- ULTIGUARD SAFEPACK 31G 8MM
- ULTIGUARD SAFEPACK 32G 4MM
- ULTIGUARD SAFEPACK 32G 6MM
- ULTIGUARD SAFEPK 0.3 ML 31G 8MM
- ULTIGUARD SAFEPK 0.5 ML 31G 8MM
- ULTILET ALCOHOL STERL SWAB
- ULTILET INSULIN SYRINGE 0.3 ML
- ULTILET INSULIN SYRINGE 0.5 ML
- ULTILET INSULIN SYRINGE 1 ML
- ULTILET PEN NEEDLE
- ULTILET PEN NEEDLE 4MM 32G
- ULTRA COMFORT 0.3 ML 29GX1/2"
- ULTRA COMFORT 0.3 ML SYRINGE
- ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G
- ULTRA COMFORT 0.5 ML 29GX1/2"
- ULTRA COMFORT 0.5 ML 31GX5/16"
- ULTRA COMFORT 0.5 ML SYRINGE
- ULTRA COMFORT 1 ML 29GX1/2"
- ULTRA COMFORT 1 ML 30GX5/16"
- ULTRA COMFORT 1 ML 31GX5/16"
- ULTRA COMFORT 1 ML SYRINGE
- ULTRA FLO 0.3 ML 30G 1/2" (1/2)
- ULTRA FLO 0.3 ML 30G 5/16"(1/2)
- ULTRA FLO 0.3 ML 31G 5/16"(1/2)
- ULTRA FLO PEN NEEDLE 31G 5MM
- ULTRA FLO PEN NEEDLE 31G 8MM
- ULTRA FLO PEN NEEDLE 32G 4MM
- ULTRA FLO PEN NEEDLE 33G 4MM
- ULTRA FLO PEN NEEDLES 12MM 29G
- ULTRA FLO SYR 0.3 ML 29GX1/2"
- ULTRA FLO SYR 0.3 ML 30G 5/16"
- ULTRA FLO SYR 0.3 ML 31G 5/16"
- ULTRA FLO SYR 0.5 ML 29G 1/2"
- ULTRA THIN PEN NDL 32G X 4MM
- ULTRA-FINE 0.3 ML 30G 12.7MM
- ULTRA-FINE 0.3 ML 31G 6MM (1/2)
- ULTRA-FINE 0.3 ML 31G 8MM (1/2)
- ULTRA-FINE 0.5 ML 30G 12.7MM
- ULTRA-FINE INS 0.5 ML 31G 6MM
- ULTRA-FINE INS SYR 1 ML 31G 6MM
- ULTRA-FINE INS SYR 1 ML 31G 8MM
- ULTRA-FINE PEN NDL 29G 12.7MM
- ULTRA-FINE PEN NEEDLE 31G 5MM
- ULTRA-FINE PEN NEEDLE 31G 8MM
- ULTRA-FINE PEN NEEDLE 32G 6MM
- ULTRA-FINE SYR 0.3 ML 31G 6MM
- ULTRA-FINE SYR 0.3 ML 31G 8MM
- ULTRA-FINE SYR 0.5 ML 31G 6MM
- ULTRA-FINE SYR 0.5 ML 31G 8MM
- ULTRA-FINE SYR 1 ML 30G 12.7MM
- ULTRA-THIN II 1 ML 31GX5/16"
- ULTRA-THIN II INS 0.3 ML 30G
- ULTRA-THIN II INS 0.3 ML 31G
- ULTRA-THIN II INS 0.5 ML 29G
- ULTRA-THIN II INS 0.5 ML 30G
- ULTRA-THIN II INS 0.5 ML 31G
- ULTRA-THIN II INS SYR 1 ML 29G
- ULTRA-THIN II INS SYR 1 ML 30G
- ULTRA-THIN II PEN NDL 29GX1/2"
- ULTRA-THIN II PEN NDL 31GX5/16
- ULTRACARE INS 0.3 ML 30GX5/16"
- ULTRACARE INS 0.3 ML 31GX5/16"
- ULTRACARE INS 0.5 ML 30GX1/2"
- ULTRACARE INS 0.5 ML 30GX5/16"
- ULTRACARE INS 0.5 ML 31GX5/16"
- ULTRACARE INS 1 ML 30G X 5/16"
- ULTRACARE INS 1 ML 30GX1/2"
- ULTRACARE INS 1 ML 31G X 5/16"
- ULTRACARE PEN NEEDLE 31GX1/4"
- ULTRACARE PEN NEEDLE 31GX3/16"

- ULTRACARE PEN NEEDLE 31GX5/16"
- ULTRACARE PEN NEEDLE 32GX1/4"
- ULTRACARE PEN NEEDLE 32GX3/16"
- ULTRACARE PEN NEEDLE 32GX5/32"
- ULTRACARE PEN NEEDLE 33GX5/32"
- UNIFINE OTC PEN NEEDLE 31G 5MM
- UNIFINE OTC PEN NEEDLE 32G 4MM
- UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL
- UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI
- UNIFINE PENTIPS 32G 4MM
- UNIFINE PENTIPS 32GX1/4"
- UNIFINE PENTIPS 33GX5/32"
- UNIFINE PENTIPS 6MM 31G
- UNIFINE PENTIPS 8MM 31G 31GX8MM, SHORT, STRL
- UNIFINE PENTIPS MAX 30GX3/16"
- UNIFINE PENTIPS PLUS 29GX1/2" 12MM
- UNIFINE PENTIPS PLUS 30GX3/16"
- UNIFINE PENTIPS PLUS 31G 5MM
- UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM
- UNIFINE PENTIPS PLUS 32GX5/32"
- UNIFINE PENTIPS PLUS 33GX5/32"
- UNIFINE PROTECT 30G 5MM
- UNIFINE PROTECT 30G 8MM
- UNIFINE PROTECT 32G 4MM
- UNIFINE SAFECONTROL 30G 5MM
- UNIFINE SAFECONTROL 30G 8MM
- UNIFINE SAFECONTROL 31G 5MM
- UNIFINE SAFECONTROL 31G 6MM
- UNIFINE SAFECONTROL 31G 8MM
- UNIFINE SAFECONTROL 32G 4MM
- UNIFINE ULTR PEN NDL 34G 3.5MM
- UNIFINE ULTRA PEN NDL 29G 12MM
- UNIFINE ULTRA PEN NDL 31G 5MM
- UNIFINE ULTRA PEN NDL 31G 6MM
- UNIFINE ULTRA PEN NDL 31G 8MM
- UNIFINE ULTRA PEN NDL 32G 4MM
- UNIFINE ULTRA PEN NDL 32G 6MM
- VANISHPOINT 0.5 ML 30GX1/2" SY OUTER
- VANISHPOINT INS 0.5 ML 30G 8MM OUTER
- VANISHPOINT INS 1 ML 30GX3/16"
- VANISHPOINT U-100 29X1/2 SYR
- VERIFINE INS SYR 1 ML 29G 1/2"
- VERIFINE PEN NEEDLE 29G 12MM
- VERIFINE PEN NEEDLE 31G 5MM
- VERIFINE PEN NEEDLE 31G X 6MM
- VERIFINE PEN NEEDLE 31G X 8MM
- VERIFINE PEN NEEDLE 32G 6MM
- VERIFINE PEN NEEDLE 32G X 4MM
- VERIFINE PEN NEEDLE 32G X 5MM
- VERIFINE PLUS PEN NDL 31G 5MM
- VERIFINE PLUS PEN NDL 31G 8MM
- VERIFINE PLUS PEN NDL 32G 4MM
- VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER
- VERIFINE SYRING 0.5 ML 29G 1/2"
- VERIFINE SYRING 1 ML 31G 5/16"
- VERIFINE SYRNG 0.3 ML 31G 5/16"
- VERIFINE SYRNG 0.5 ML 31G 5/16"
- VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY
- WEBCOL ALCOHOL PREPS 20'S,LARGE
- WM UNIFINE PENTIP PLUS 8MM 31G W/ SAFETY CLICK

PA Criteria	Criteria Details
Exclusion Criteria	ONLY COVERED UNDER PART D WHEN USED CONCURRENTLY WITH INSULIN.
Required Medical Information	
Age Restrictions	

PA Criteria	Criteria Details
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

INTERFERON FOR MS-AVONEX

Products Affected

- AVONEX INTRAMUSCULAR PEN INJECTOR KIT
- AVONEX INTRAMUSCULAR SYRINGE KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INTERFERON FOR MS-BETASERON

Products Affected

- BETASERON SUBCUTANEOUS KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INTERFERON GAMMA-1B

Products Affected

- ACTIMMUNE

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ISAVUCONAZONIUM

Products Affected

- CRESEMBA ORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INVASIVE ASPERGILLOSIS, INVASIVE MUCORMYCOSIS: PRESCRIBED BY OR IN CONSULTATION WITH AN INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	PLAN YEAR
Other Criteria	INVASIVE ASPERGILLOSIS: TRIAL OF OR CONTRAINDICATION TO VORICONAZOLE. CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE REQUIRES NO EXTRA CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

IVACAFTOR

Products Affected

- KALYDECO

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

IVOSIDENIB

Products Affected

- TIBSOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IXAZOMIB

Products Affected

- NINLARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LAMOTRIGINE

Products Affected

- SUBVENITE ORAL SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	ALL INDICATIONS: CONTRAINDICATION TO OR UNABLE TO SWALLOW LAMOTRIGINE TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

LANADELUMAB-FLYO

Products Affected

- TAKHZYRO SUBCUTANEOUS SOLUTION MG/ML)
- TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML (150

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY ANGIOEDEMA (HAE): INITIAL: 1) TYPE I OR II HAE CONFIRMED BY ONE OF THE FOLLOWING COMPLEMENT TESTS: C1-INH PROTEIN LEVELS, C4 PROTEIN LEVELS, C1-INH FUNCTIONAL LEVELS, C1Q, OR 2) TYPE III HAE CONFIRMED BY: (A) RECURRENT, NON-URTICARIAL ANGIOEDEMA INVOLVING THE SKIN, GASTROINTESTINAL TRACT, OR AIRWAY, CONSISTENT WITH BRADYKININ-MEDIATED HAE AND ATTACKS NOT EXPLAINED BY HISTAMINERGIC/URTICARIAL ANGIOEDEMA, AND (B) OTHER CAUSES OF ANGIOEDEMA HAVE BEEN EXCLUDED, INCLUDING ACE-INHIBITOR/ARB-ASSOCIATED ANGIOEDEMA, ACQUIRED C1-INH DEFICIENCY, AND MAST-CELL/HISTAMINERGIC ANGIOEDEMA.
Age Restrictions	
Prescriber Restrictions	HAE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ALLERGIST, IMMUNOLOGIST, HEMATOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR
Other Criteria	HAE: INITIAL/RENEWAL: NOT ON CONCURRENT TREATMENT WITH ALTERNATIVE PROPHYLACTIC AGENT FOR HAE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

LAPATINIB

Products Affected

- *lapatinib*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LAROTRECTINIB

Products Affected

- VITRAKVI ORAL CAPSULE 100 MG, 25 MG
- VITRAKVI ORAL SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	VITRAKVI ORAL SOLUTION: 1) TRIAL OF VITRAKVI CAPSULES, OR 2) UNABLE TO TAKE CAPSULE FORMULATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

LAZERTINIB

Products Affected

- LAZCLUZE ORAL TABLET 240 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LECANEMAB-IRMB

Products Affected

- LEQEMBI IQLIK SUBCUTANEOUS AUTO-INJECTOR 360 MG/1.8 ML, 500 MG/2.5 ML (250MG/1.25MLX2)

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

LEDIPASVIR-SOFOSBUVIR

Products Affected

- HARVONI ORAL PELLETS IN PACKET
  33.75-150 MG, 45-200 MG
- *ledipasvir-sofosbuvir*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

LENALIDOMIDE

Products Affected

- *lenalidomide*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LENVATINIB

Products Affected

- LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LETERMOVIR

Products Affected

- PREVYMIS ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

LEUPROLIDE

Products Affected

- *leuprolide subcutaneous kit*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LEUPROLIDE DEPOT

Products Affected

- *leuprolide acetate (3 month)*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LEUPROLIDE-ELIGARD

Products Affected

- ELIGARD
- ELIGARD (3 MONTH)
- ELIGARD (4 MONTH)
- ELIGARD (6 MONTH)
- *vabrinty (4 month)*
- *vabrinty (6 month)*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LEUPROLIDE-LUPRON DEPOT

Products Affected

- LUPRON DEPOT
- LUPRON DEPOT (3 MONTH)
- LUPRON DEPOT (4 MONTH)
- LUPRON DEPOT (6 MONTH)

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

L-GLUTAMINE

Products Affected

- *glutamine (sickle cell)*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

LIDOCAINE PATCH

Products Affected

- *lidocaine topical adhesive patch,medicated 5 %*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	1) PAIN ASSOCIATED WITH POST-HERPETIC NEURALGIA, 2) NEUROPATHY DUE TO DIABETES MELLITUS, 3) CHRONIC BACK PAIN, OR 4) OSTEOARTHRITIS OF THE KNEE OR HIP.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LIDOCAINE PRILOCAINE

Products Affected

- *lidocaine-prilocaine topical cream*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LORLATINIB

Products Affected

- LORBRENA ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LOTILANER

Products Affected

- XDEMVY

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

LUMACAFTOR-IVACAFTOR

Products Affected

- ORKAMBI ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

MACITENTAN

Products Affected

- *macitentan*
- OPSUMIT

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

MARIBAVIR

Products Affected

- LIVTENCITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CYTOMEGALOVIRUS (CMV): PRESCRIBED BY OR IN CONSULTATION WITH A TRANSPLANT SPECIALIST OR INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	8 WEEKS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MECASERMIN

Products Affected

- INCRELEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	GROWTH FAILURE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST OR NEPHROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR
Other Criteria	GROWTH FAILURE: INITIAL: OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF WRIST AND HAND. INITIAL/RENEWAL: NO CONCURRENT USE WITH ANOTHER GROWTH HORMONE MEDICATION. RENEWAL: IMPROVEMENT WHILE ON THERAPY (INCREASE IN HEIGHT OR INCREASE IN HEIGHT VELOCITY).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MECHLORETHAMINE

Products Affected

- VALCHLOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MEPOLIZUMAB

Products Affected

- NUCALA SUBCUTANEOUS AUTO-INJECTOR
- NUCALA SUBCUTANEOUS RECON SOLN
- NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML, 40 MG/0.4 ML

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

METHYLNALTREXONE INJECTABLE

Products Affected

- RELISTOR SUBCUTANEOUS SOLUTION
- RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	CHRONIC NON-CANCER PAIN: 1) HAS BEEN TAKING OPIOIDS FOR AT LEAST 4 WEEKS, AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENTS: NALOXEGOL (MOVANTIK) AND LUBIPROSTONE (AMITIZA)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

METHYLNALTREXONE ORAL

Products Affected

- RELISTOR ORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	OPIOID INDUCED CONSTIPATION WITH CHRONIC NON-CANCER PAIN: 1) HAS BEEN TAKING OPIOIDS FOR AT LEAST 4 WEEKS, AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENTS: NALOXEGOL (MOVANTIK) AND LUBIPROSTONE (AMITIZA)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

METYROSINE

Products Affected

- *metyrosine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PHEOCHROMOCYTOMA: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST, ENDOCRINE SURGEON, OR HEMATOLOGIST-ONCOLOGIST.
Coverage Duration	PHEOCHROMOCYTOMA: PRE-OP SURGERY: 30 DAYS, TREATMENT: PLAN YEAR.
Other Criteria	PHEOCHROMOCYTOMA: INITIAL: HAS NON-METASTATIC PHEOCHROMOCYTOMA. PREOPERATIVE PREPARATION FOR SURGERY: USE IN COMBINATION WITH AN ALPHA-ADRENERGIC RECEPTOR BLOCKER. RENEWAL: MALIGNANT PHEOCHROMOCYTOMA: STABLE OR CLINICAL IMPROVEMENT WHILE ON THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

MIDAZOLAM

Products Affected

- NAYZILAM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MIDOSTAURIN

Products Affected

- RYDAPT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MIFEPRISTONE

Products Affected

- *mifepristone oral tablet 300 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CUSHINGS SYNDROME (CS): INITIAL: DIAGNOSIS CONFIRMED BY: 1) 24-HR URINE FREE CORTISOL (AT LEAST 2 TESTS TO CONFIRM), 2) OVERNIGHT 1MG DEXAMETHASONE TEST, OR 3) LATE NIGHT SALIVARY CORTISOL (AT LEAST 2 TESTS TO CONFIRM).
Age Restrictions	
Prescriber Restrictions	CS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR
Other Criteria	CS: INITIAL: HYPERCORTISOLISM IS NOT A RESULT OF CHRONIC GLUCOCORTICOIDS. INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER AGENTS USED TO LOWER CORTISOL LEVELS FOR CS. RENEWAL: 1) CONTINUES TO HAVE IMPROVEMENT OF GLUCOSE TOLERANCE OR STABLE GLUCOSE TOLERANCE (E.G., REDUCED A1C, IMPROVED FASTING GLUCOSE), 2) CONTINUES TO HAVE TOLERABILITY TO THERAPY, AND 3) CONTINUES TO NOT BE A CANDIDATE FOR SURGICAL TREATMENT OR HAS FAILED SURGERY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

MIGLUSTAT-ZAVESCA

Products Affected

- *miglustat*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MILTEFOSINE

Products Affected

- IMPAVIDO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MIRDAMETINIB

Products Affected

- GOMEKLI ORAL CAPSULE 1 MG, 2 MG
- GOMEKLI ORAL TABLET FOR SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MODAFINIL

Products Affected

- *modafinil oral tablet 100 mg, 200 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MOMELOTINIB

Products Affected

- OJJAARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MORPHINE SOLUTION

Products Affected

- *morphine concentrate oral solution*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	opioid tolerant: plan year. hospice, palliative care or end of life care: lifetime.
Other Criteria	1) OPIOID TOLERANT (I.E. PREVIOUS USE OF 60 MG ORAL MORPHINE PER DAY, 25 MCG TRANSDERMAL FENTANYL PER HOUR, 30 MG ORAL OXYCODONE PER DAY, 8 MG ORAL HYDROMORPHONE PER DAY, 25 MG ORAL OXYMORPHONE PER DAY, 60 MG ORAL HYDROCODONE PER DAY, OR AN EQUIANALGESIC DOSE OF ANOTHER OPIOID) AND HAS TROUBLE SWALLOWING OPIOID TABLETS, CAPSULES, OR LARGE VOLUMES OF LIQUID, OR 2) ENROLLED IN HOSPICE OR PALLIATIVE CARE OR END OF LIFE CARE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

NERATINIB

Products Affected

- NERLYNX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	EARLY-STAGE (STAGE I-III) BREAST CANCER: MEDICATION IS BEING REQUESTED WITHIN 2 YEARS OF COMPLETING THE LAST TRASTUZUMAB DOSE. ALL OTHER FDA APPROVED INDICATIONS ARE COVERED WITHOUT ADDITIONAL CRITERIA, EXCEPT THOSE CRITERIA IN THE FDA APPROVED LABEL.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

NILOTINIB - TASIGNA

Products Affected

- NILOTINIB D-TARTRATE ORAL CAPSULE 150 MG, 200 MG, 50 MG
- *nilotinib hcl oral capsule 150 mg, 200 mg, 50 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND MEDICATION IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NILOTINIB-DANZITEN

Products Affected

- DANZITEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): 1) PERFORMED MUTATIONAL ANALYSIS PRIOR TO INITIATION OF THERAPY, AND 2) THERAPY IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NINTEDANIB

Products Affected

- *nintedanib*
- OFEV

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

NIRAPARIB

Products Affected

- ZEJULA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	RECURRENT EPITHELIAL OVARIAN, FALLOPIAN TUBE, OR PRIMARY PERITONEAL CANCER: 1) ZEJULA WILL BE USED AS MONOTHERAPY, AND 2) ZEJULA IS STARTED NO LATER THAN 8 WEEKS AFTER THE MOST RECENT PLATINUM-CONTAINING REGIMEN.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

NIRAPARIB-ABIRATERONE

Products Affected

- AKEEGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC), METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

NIROGACESTAT

Products Affected

- OGSIVEO ORAL TABLET 100 MG, 150 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NITISINONE

Products Affected

- *nitisinone*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

OFATUMUMAB SQ

Products Affected

- KESIMPTA PEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OLAPARIB

Products Affected

- LYNPARZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	RECURRENT EPITHELIAL OVARIAN, FALLOPIAN TUBE OR PRIMARY PERITONEAL CANCER: MEDICATION WILL BE USED AS MONOTHERAPY. METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. ALL OTHER FDA APPROVED INDICATIONS ARE COVERED WITHOUT ADDITIONAL CRITERIA, EXCEPT THOSE CRITERIA IN THE FDA APPROVED LABEL.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

OLEZARSEN

Products Affected

- TRYNGOLZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OLUTASIDENIB

Products Affected

- REZLIDHIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OMALIZUMAB

Products Affected

- XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML
- XOLAIR SUBCUTANEOUS RECON SOLN
- XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

OSILODROSTAT

Products Affected

- ISTURISA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CUSHINGS SYNDROME: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	CUSHINGS SYNDROME: RENEWAL: 1) CONTINUED IMPROVEMENT OF CUSHINGS DISEASE/SYNDROME, AND 2) MAINTAINS TOLERABILITY TO ISTURISA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OSIMERTINIB

Products Affected

- TAGRISSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OXYCODONE SOLUTION

Products Affected

- *oxycodone oral concentrate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	opioid tolerant: plan year. hospice, palliative care or end of life care: lifetime.
Other Criteria	1) OPIOID TOLERANT (I.E. PREVIOUS USE OF 60 MG ORAL MORPHINE PER DAY, 25 MCG TRANSDERMAL FENTANYL PER HOUR, 30 MG ORAL OXYCODONE PER DAY, 8 MG ORAL HYDROMORPHONE PER DAY, 25 MG ORAL OXYMORPHONE PER DAY, 60 MG ORAL HYDROCODONE PER DAY, OR AN EQUIANALGESIC DOSE OF ANOTHER OPIOID) AND HAS TROUBLE SWALLOWING OPIOID TABLETS, CAPSULES, OR LARGE VOLUMES OF LIQUID, OR 2) ENROLLED IN HOSPICE OR PALLIATIVE CARE OR END OF LIFE CARE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

PACRITINIB

Products Affected

- VONJO

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

PALBOCICLIB

Products Affected

- IBRANCE ORAL CAPSULE 125 MG
- IBRANCE ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PASIREOTIDE DIASPARTATE

Products Affected

- SIGNIFOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CUSHINGS DISEASE (CD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	CD: RENEWAL: 1) CONTINUED IMPROVEMENT OF CUSHINGS DISEASE, AND 2) MAINTAINED TOLERABILITY TO SIGNIFOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PAZOPANIB

Products Affected

- *pazopanib oral tablet 200 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	ADVANCED SOFT TISSUE SARCOMA (STS): NOT USED FOR ADIPOCYTIC STS OR GASTROINTESTINAL STROMAL TUMORS (GIST)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PEGFILGRASTIM - APGF

Products Affected

- NYVEPRIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PEGINTERFERON ALFA-2A

Products Affected

- PEGASYS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HEPATITIS B: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, OR PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (E.G., HEPATOLOGIST).
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PEGVISOMANT

Products Affected

- SOMAVERT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	ACROMEGALY: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ACROMEGALY: INITIAL: SERUM INSULIN-LIKE GROWTH FACTOR 1 (IGF-1) LEVEL (ADJUSTED FOR AGE) IS ELEVATED OR UNEQUIVOCAL WITH INADEQUATE SUPPRESSION OF GROWTH HORMONE AFTER A GLUCOSE LOAD. RENEWAL: 1) REDUCTION, NORMALIZATION, OR MAINTENANCE OF IGF-1 LEVELS BASED ON AGE AND GENDER, AND 2) IMPROVEMENT OR SUSTAINED REMISSION OF CLINICAL SYMPTOMS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PEMIGATINIB

Products Affected

- PEMAZYRE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	CHOLANGIOCARCINOMA, MYELOID/LYMPHOID NEOPLASMS: COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), WILL BE COMPLETED PRIOR TO INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PENICILLAMINE TABLET

Products Affected

- *penicillamine oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	WILSONS DISEASE: 1) GENETIC TESTING CONFIRMING AN ATP7B MUTATION, 2) 24-HOUR URINARY COPPER EXCRETION (GREATER THAN 40 MICROGRAMS/24 HOURS), 3) LIVER BIOPSY WITH COPPER DRY WEIGHT GREATER THAN 75 MICROGRAMS/GRAM, OR 4) SERUM CERULOPLASMIN LEVEL OF LESS THAN 20 MG/DL. INITIAL: CYSTINURIA: HAS NEPHROLITHIASIS AND ONE OF THE FOLLOWING: 1) STONE ANALYSIS SHOWING PRESENCE OF CYSTINE, 2) PRESENCE OF PATHOGNOMONIC HEXAGONAL CYSTINE CRYSTALS ON URINALYSIS, OR 3) FAMILY HISTORY OF CYSTINURIA AND POSITIVE CYANIDE-NITROPRUSSIDE SCREENING.
Age Restrictions	
Prescriber Restrictions	WILSONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST OR GASTROENTEROLOGIST. INITIAL: CYSTINURIA: PRESCRIBED BY OR IN CONSULTATION WITH A NEPHROLOGIST. RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.

PA Criteria	Criteria Details
Other Criteria	INITIAL: RA: 1) NO HISTORY OR OTHER EVIDENCE OF RENAL INSUFFICIENCY, AND 2) TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL OF AT LEAST 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. RENEWAL: RA: 1) NO HISTORY OR OTHER EVIDENCE OF RENAL INSUFFICIENCY, AND 2) EXPERIENCED OR MAINTAINED IMPROVEMENT IN TENDER JOINT COUNT OR SWOLLEN JOINT COUNT COMPARED TO BASELINE. CYSTINURIA: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

PEXIDARTINIB

Products Affected

- TURALIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PIMAVANSERIN

Products Affected

- NUPLAZID

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

PIRFENIDONE

Products Affected

- *pirfenidone oral capsule*
- *pirfenidone oral tablet 267 mg, 534 mg, 801 mg*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

PIRTOBRUTINIB

Products Affected

- JAYPIRCA ORAL TABLET 100 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

POMALIDOMIDE

Products Affected

- *pomalidomide*
- POMALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PONATINIB

Products Affected

- ICLUSIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CHRONIC MYELOID LEUKEMIA (CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND ICLUSIG IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

POSACONAZOLE TABLET

Products Affected

- *posaconazole oral tablet,delayed release (dr/ec)*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE, PROPHYLAXIS: 6 MONTHS. TREATMENT: 12 WEEKS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PRALSETINIB

Products Affected

- GAVRETO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PYRIMETHAMINE

Products Affected

- *pyrimethamine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	TOXOPLASMOSIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	TOXOPLASMOSIS: INITIAL: 8 WEEKS, RENEWAL: 6 MOS.
Other Criteria	TOXOPLASMOSIS: RENEWAL: ONE OF THE FOLLOWING: (1) PERSISTENT CLINICAL DISEASE (HEADACHE, NEUROLOGICAL SYMPTOMS, OR FEVER) AND PERSISTENT RADIOGRAPHIC DISEASE (ONE OR MORE MASS LESIONS ON BRAIN IMAGING), OR (2) CD4 COUNT LESS THAN 200 CELLS/MM3 AND CURRENTLY TAKING AN ANTI-RETROVIRAL THERAPY IF HIV POSITIVE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

QUININE

Products Affected

- *quinine sulfate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

QUIZARTINIB

Products Affected

- VANFLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

REGORAFENIB

Products Affected

- STIVARGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RELACORILANT

Products Affected

- LIFYORLI

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

RELUGOLIX

Products Affected

- ORGOVYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

REPOTRECTINIB

Products Affected

- AUGTYRO ORAL CAPSULE 160 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RESMETIROM

Products Affected

- REZDIFFRA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

REVUMENIB

Products Affected

- REVUFORJ ORAL TABLET 110 MG, 160 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RIBOCICLIB

Products Affected

- KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RIFAXIMIN

Products Affected

- XIFAXAN ORAL TABLET 200 MG, 550 MG

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

RILONACEPT

Products Affected

- ARCALYST

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

RIMEGEPANT

Products Affected

- NURTEC ODT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ACUTE MIGRAINE TREATMENT: 1) TRIAL OF OR CONTRAINDICATION TO ONE CLINICAL STANDARD OF CARE AGENT: A TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN) AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT. EPISODIC MIGRAINE PREVENTION: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

RIOCIGUAT

Products Affected

- ADEMPAS

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

RIPRETINIB

Products Affected

- QINLOCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RISANKIZUMAB-RZAA

Products Affected

- SKYRIZI SUBCUTANEOUS PEN INJECTOR
- SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 55 MG/0.37 ML
- SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ROPEGINTERFERON ALFA-2B-NJFT

Products Affected

- BESREMI
- BESREMI PEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RUCAPARIB

Products Affected

- RUBRACA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

RUXOLITINIB

Products Affected

- JAKAFI

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SAPROPTERIN

Products Affected

- *javygtor oral tablet,soluble*
- *sapropterin oral tablet,soluble*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 2 MONTHS. RENEWAL: PLAN YEAR.
Other Criteria	HPA WITH PKU: INITIAL/RENEWAL: NO CONCURRENT USE WITH ANOTHER AGENT INDICATED FOR THE TREATMENT OF PKU. RENEWAL: CONTINUES TO BENEFIT FROM TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SARILUMAB

Products Affected

- KEVZARA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SECUKINUMAB SQ

Products Affected

- COSENTYX (2 SYRINGES)
- COSENTYX PEN (2 PENS)
- COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML
- COSENTYX UNOREADY PEN

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SELEXIPAG

Products Affected

- UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG
- UPTRAVI ORAL TABLETS,DOSE PACK

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SELINEXOR

Products Affected

- XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (10 MG X 4), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1), 80MG TWICE WEEK (160 MG/WEEK)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SELPERCATINIB

Products Affected

- RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SELUMETINIB

Products Affected

- KOSELUGO ORAL CAPSULE 10 MG, 25 MG
- KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG, 7.5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SEMAGLUTIDE - WEGOVY

Products Affected

- WEGOVY ORAL MG/0.75 ML
- WEGOVY SUBCUTANEOUS PEN INJECTOR 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SEVABERTINIB

Products Affected

- HYRNUO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SILDENAFIL TABLET

Products Affected

- *sildenafil (pulm.hypertension) oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SIPONIMOD

Products Affected

- MAYZENT ORAL TABLET 0.25 MG, 1 MG, 2 MG
- MAYZENT STARTER(FOR 1MG MAINT)
- MAYZENT STARTER(FOR 2MG MAINT)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: FINGOLIMOD, DIMETHYL FUMARATE, VUMERITY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

SODIUM OXYBATE-XYREM

Products Affected

- *sodium oxybate*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SOFOSBUVIR/VELPATASVIR

Products Affected

- EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG, 200-50 MG
- EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG
- *sofosbuvir-velpatasvir*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SOFOSBUVIR/VELPATASVIR/VOXILAPREVIR

Products Affected

- VOSEVI

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SOMATROPIN - NORDITROPIN

Products Affected

- NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SOMATROPIN - SEROSTIM

Products Affected

- SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SONIDEGIB

Products Affected

- ODOMZO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	LOCALLY ADVANCED BASAL CELL CARCINOMA (BCC): BASELINE SERUM CREATINE KINASE (CK) AND SERUM CREATININE LEVELS
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SORAFENIB

Products Affected

- *sorafenib*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SOTATERCEPT-CSRK

Products Affected

- WINREVAIR

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SOTORASIB

Products Affected

- LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

STIRIPENTOL

Products Affected

- DIACOMIT ORAL CAPSULE 250 MG, 500 MG
- DIACOMIT ORAL POWDER IN PACKET 250 MG, 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	DRAVET SYNDROME: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SUNITINIB

Products Affected

- *sunitinib malate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	GASTROINTESTINAL STROMAL TUMORS (GIST): TRIAL OF OR CONTRAINDICATION TO IMATINIB (GLEEVEC).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TADALAFIL - ADCIRCA, ALYQ

Products Affected

- *alyq*
- *tadalafil (pulm. hypertension)*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

TADALAFIL-CIALIS

Products Affected

- *tadalafil oral tablet 2.5 mg, 5 mg*

PA Criteria	Criteria Details
Exclusion Criteria	ERECTILE DYSFUNCTION WITHOUT DIAGNOSIS OF BENIGN PROSTATIC HYPERPLASIA (BPH).
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	BPH: 1) TRIAL OF ONE ALPHA BLOCKER (E.G., DOXAZOSIN, TERAZOSIN, TAMSULOSIN, ALFUZOSIN), AND 2) TRIAL OF ONE 5-ALPHA-REDUCTASE INHIBITOR (E.G., FINASTERIDE, DUTASTERIDE). APPLIES TO 2.5MG AND 5MG STRENGTHS ONLY
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TAFAMIDIS

Products Affected

- VYNDAMAX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CARDIOMYOPATHY ASSOCIATED WITH WILD TYPE OR HEREDITARY TRANSTHYRETIN-MEDIATED AMYLOIDOSIS (ATTR-CM): INITIAL: 1) NEW YORK HEART ASSOCIATION (NYHA) CLASS I, II, OR III HEART FAILURE, AND 2) DIAGNOSIS CONFIRMED BY (A) BONE SCAN (SCINTIGRAPHY) STRONGLY POSITIVE FOR MYOCARDIAL UPTAKE OF TC-99M-PYP, OR (B) BIOPSY OF TISSUE OF AFFECTED ORGAN(S) (CARDIAC AND POSSIBLY NON-CARDIAC SITES) TO CONFIRM AMYLOID PRESENCE AND CHEMICAL TYPING TO CONFIRM PRESENCE OF TRANSTHYRETIN (TTR) PROTEIN.
Age Restrictions	
Prescriber Restrictions	ATTR-CM: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST, ATTR SPECIALIST, OR MEDICAL GENETICIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ATTR-CM: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER ATTR-CM TTR STABILIZERS (E.G., ACORAMIDIS)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TALAZOPARIB

Products Affected

- TALZENNA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

TALETRECTINIB

Products Affected

- IBTROZI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TEDUGLUTIDE

Products Affected

- GATTEX 30-VIAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	SHORT BOWEL SYNDROME (SBS): INITIAL/RENEWAL: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	SBS: RENEWAL: 1) REDUCTION IN PARENTERAL SUPPORT COMPARED TO BASELINE, AND 2) HAS NOT ACHIEVED ENTERAL AUTONOMY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TELOTRISTAT

Products Affected

- XERMELO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CARCINOID SYNDROME DIARRHEA: PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST OR GASTROENTEROLOGIST
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TEPOTINIB

Products Affected

- TEPMETKO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TERIPARATIDE

Products Affected

- *teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	OSTEOPOROSIS: HAS NOT RECEIVED A TOTAL OF 24 MONTHS CUMULATIVE TREATMENT WITH ANY PARATHYROID HORMONE THERAPY, UNLESS REMAINS AT OR HAS RETURNED TO HAVING A HIGH RISK FOR FRACTURE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TESTOSTERONE

Products Affected

- *testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %), 20.25 mg/1.25 gram (1.62 %)*
- *testosterone transdermal gel in packet 1 %*
- *(25 mg/2.5gram), 1 % (50 mg/5 gram)*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	initial/renewal: plan year.
Other Criteria	MALE HYPOGONADISM: INITIAL/RENEWAL: 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED WITHIN THE PAST 12 MONTHS, AND 1) PSA LEVEL IS LESS THAN OR EQUAL TO 4 NG/ML, OR 2) PSA LEVEL IS GREATER THAN 4 NG/ML AND THE BENEFITS OF ONGOING THERAPY OUTWEIGH THE RISKS OF ELEVATED PSA. RENEWAL: IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TESTOSTERONE CYPIONATE - DEPO

Products Affected

- *testosterone cypionate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	initial/renewal: plan year.
Other Criteria	MALE HYPOGONADISM: INITIAL/RENEWAL: 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED WITHIN THE PAST 12 MONTHS, AND 1) PSA LEVEL IS LESS THAN OR EQUAL TO 4 NG/ML, OR 2) PSA LEVEL IS GREATER THAN 4 NG/ML AND THE BENEFITS OF ONGOING THERAPY OUTWEIGH THE RISKS OF ELEVATED PSA. RENEWAL: IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TESTOSTERONE ENANTHATE

Products Affected

- *testosterone enanthate*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

TETRABENAZINE

Products Affected

- *tetrabenazine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HUNTINGTONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

THALIDOMIDE

Products Affected

- THALOMID ORAL CAPSULE 100 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TIVOZANIB

Products Affected

- FOTIVDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TOCILIZUMAB-AAZG SQ

Products Affected

- TYENNE AUTOINJECTOR
- TYENNE SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/ADALIMUMAB-AATY/HADLIMA, XELJANZ, RINVOQ. GIANT CELL ARTERITIS (GCA): 1) HAS COMPLETED, STARTED, OR WILL SOON START A TAPERING COURSE OF GLUCOCORTICOIDS, AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: RINVOQ. PJIA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/ADALIMUMAB-AATY/HADLIMA, XELJANZ IR, RINVOQ. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, PJIA, SJIA: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TOFACITINIB

Products Affected

- *tofacitinib oral solution*
- *tofacitinib oral tablet*
- *tofacitinib oral tablet extended release 24 hr*
- XELJANZ ORAL SOLUTION
- XELJANZ ORAL TABLET
- XELJANZ XR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), POLYARTICULAR COURSE JUVENILE IDIOPATHIC ARTHRITIS (PCJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE CLINICAL STANDARD OF CARE AGENT: A CONVENTIONAL SYNTHETIC DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL OF AT LEAST 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. AS: TRIAL OF OR CONTRAINDICATION TO ONE CLINICAL STANDARD OF CARE AGENT: AN NSAID. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, PSA, AS, PCJIA: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TOLVAPTAN

Products Affected

- *tolvaptan*
- *tolvaptan (polycys kidney dis) oral tablets, sequential*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE (ADPKD): INITIAL: CONFIRMED POLYCYSTIC KIDNEY DISEASE VIA CT, MRI, OR ULTRASOUND.
Age Restrictions	
Prescriber Restrictions	ADPKD: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEPHROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ADPKD: INITIAL: DOES NOT HAVE ESRD (I.E., RECEIVING DIALYSIS). RENEWAL: HAS NOT PROGRESSED TO ESRD/DIALYSIS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TOPICAL TRETINOIN

Products Affected

- *tretinoin topical cream 0.025 %, 0.05 %, 0.1 %*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

TOVORAFENIB

Products Affected

- OJEMDA ORAL SUSPENSION FOR RECONSTITUTION
- OJEMDA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TRAMETINIB SOLUTION

Products Affected

- MEKINIST ORAL RECON SOLN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA, MELANOMA, METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC), LOCALLY ADVANCED OR METASTATIC ANAPLASTIC THYROID CANCER (ATC), UNRESECTABLE OR METASTATIC SOLID TUMOR, LOW-GRADE GLIOMA (LGG): UNABLE TO SWALLOW MEKINIST TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TRAMETINIB TABLET

Products Affected

- MEKINIST ORAL TABLET 0.5 MG, 2 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TRAZODONE

Products Affected

- RALDESY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	MAJOR DEPRESSIVE DISORDER (MDD): CONTRAINDICATION TO OR UNABLE TO SWALLOW TRAZODONE TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TRIENTINE CAPSULE

Products Affected

- *trientine oral capsule 250 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	WILSONS DISEASE: 1) GENETIC TESTING CONFIRMING AN ATP7B MUTATION, 2) 24-HOUR URINARY COPPER EXCRETION (GREATER THAN 40 MICROGRAMS/24 HOURS), 3) LIVER BIOPSY WITH COPPER DRY WEIGHT GREATER THAN 75 MICROGRAMS/GRAM, OR 4) SERUM CERULOPLASMIN LEVEL OF LESS THAN 20 MG/DL.
Age Restrictions	
Prescriber Restrictions	WILSONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST OR GASTROENTEROLOGIST.
Coverage Duration	PLAN YEAR
Other Criteria	WILSONS DISEASE: TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: PENICILLAMINE TABLET.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TRIFLURIDINE/TIPIRACIL

Products Affected

- LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TRIPTORELIN-TRELSTAR

Products Affected

- TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TUCATINIB

Products Affected

- TUKYSA ORAL TABLET 150 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

UBROGEPANT

Products Affected

- UBRELVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ACUTE MIGRAINE TREATMENT: 1) TRIAL OF OR CONTRAINDICATION TO ONE PREFERRED AGENT: A TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN), AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

UPADACITINIB

Products Affected

- RINVOQ
- RINVOQ LQ

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

USTEKINUMAB SQ

Products Affected

- STARJEMZA SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

USTEKINUMAB-AEKN SQ

Products Affected

- SELARSDI SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

VALBENAZINE

Products Affected

- INGREZZA
- INGREZZA INITIATION PK(TARDIV)
- INGREZZA SPRINKLE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	TARDIVE DYSKINESIA (TD): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR MOVEMENT DISORDER SPECIALIST. CHOREA ASSOCIATED WITH HUNTINGTONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST.
Coverage Duration	PLAN YEAR
Other Criteria	TD: HISTORY OF USING AGENTS THAT CAUSE TARDIVE DYSKINESIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VANDETANIB

Products Affected

- CAPRELSA ORAL TABLET 100 MG, 300 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	CURRENTLY STABLE ON CAPRELSA REQUIRES NO EXTRA CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VEDOLIZUMAB

Products Affected

- ENTYVIO PEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: CD: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: SELARSDI/YESINTEK/OTULFI, HUMIRA/ADALIMUMAB-AATY/HADLIMA, RINVOQ, SKYRIZI, TREMFYA. UC: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: SELARSDI/YESINTEK/OTULFI, XELJANZ, HUMIRA/ADALIMUMAB-AATY/HADLIMA, RINVOQ, SKYRIZI, TREMFYA. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

VEMURAFENIB

Products Affected

- ZELBORAF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	MELANOMA: ZELBORAF WILL BE USED ALONE OR IN COMBINATION WITH COTELLIC
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VENETOCLAX

Products Affected

- VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG
- VENCLEXTA STARTING PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VERICIGUAT

Products Affected

- VERQUVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HEART FAILURE (HF): INITIAL/RENEWAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	HF: INITIAL: HIGH-RISK WITH WORSENING HF AS EVIDENCED BY HOSPITALIZATION FOR HF OR NEED FOR INTRAVENOUS DIURETICS. INITIAL/RENEWAL: 1) NO CONCURRENT USE WITH RIOCIGUAT OR PDE-5 INHIBITORS, AND 2) HISTORY OF AND CONTINUATION OF, OR CONTRAINDICATION OR INTOLERANCE TO, ONE AGENT FROM ANY OF THE FOLLOWING GUIDELINE-DIRECTED MEDICAL THERAPY (GDMT) MEDICATION CLASSES: (A) ACE INHIBITOR, ARB, OR ARNI, (B) BETA BLOCKER, (C) ALDOSTERONE ANTAGONIST, (D) SGLT-2 INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VIGABATRIN

Products Affected

- *vigabatrin*
- *vigadrone*
- VIGAFYDE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: REFRACTORY COMPLEX PARTIAL SEIZURES (CPS), INFANTILE SPASMS: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: CPS: TRIAL OF OR CONTRAINDICATION TO TWO ANTIEPILEPTIC AGENTS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VIMSELTINIB

Products Affected

- ROMVIMZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VISMODEGIB

Products Affected

- ERIVEDGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VORASIDENIB

Products Affected

- VORANIGO ORAL TABLET 10 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VORICONAZOLE SUSPENSION

Products Affected

- *voriconazole oral suspension for reconstitution*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CANDIDA INFECTIONS: 3 MOS. CONTINUATION OF THERAPY, ALL OTHER INDICATIONS: PLAN YEAR.
Other Criteria	CANDIDA INFECTIONS: CONTRAINDICATION TO OR UNABLE TO SWALLOW FLUCONAZOLE TABLETS. ALL INDICATIONS EXCEPT ESOPHAGEAL CANDIDIASIS: UNABLE TO SWALLOW TABLETS. CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE REQUIRES NO EXTRA CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ZANUBRUTINIB

Products Affected

- BRUKINSA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	MANTLE CELL LYMPHOMA: INTOLERANCE TO CALQUENCE. CHRONIC LYMPHOCYTIC LEUKEMIA, SMALL LYMPHOCYTIC LYMPHOMA: INTOLERANCE TO CALQUENCE OR IMBRUVICA. WALDENSTROMS MACROGLOBULINEMIA: NO STEP REQUIRED.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ZIDESAMTINIB

Products Affected

- JIDEYTRO ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ZIFTOMENIB

Products Affected

- KOMZIFTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ZONGERTINIB

Products Affected

- HERNEXEOS

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ZURANOLONE

Products Affected

- ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

INDEX

1ST TIER UNIFINE PENTP 5MM 31G ... 141
1ST TIER UNIFINE PNTIP 4MM 32G ... 141
1ST TIER UNIFINE PNTIP 6MM 31G ... 141
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT ... 141
1ST TIER UNIFINE PNTP 29GX1/2" ... 141
1ST TIER UNIFINE PNTP 31GX3/16 ... 141
1ST TIER UNIFINE PNTP 32GX5/32 ... 141
abiraterone ... 5
ACTIMMUNE ... 153
ADEMPAS ... 244
ADVOCATE INS 0.3 ML 30GX5/16" ... 141
ADVOCATE INS 0.3 ML 31GX5/16" ... 141
ADVOCATE INS 0.5 ML 30GX5/16" ... 141
ADVOCATE INS 0.5 ML 31GX5/16" ... 141
ADVOCATE INS 1 ML 31GX5/16" ... 141
ADVOCATE INS SYR 1 ML 30GX5/16 ... 141
ADVOCATE PEN NEEDLE 32G 4MM ... 141
ADVOCATE PEN NEEDLE 4MM 33G ... 141
ADVOCATE PEN NEEDLES 5MM 31G ... 141
ADVOCATE PEN NEEDLES 8MM 31G ... 141
AIMOVIG AUTOINJECTOR ... 94
AKEEGA ... 202
ALCOHOL PADS ... 141
ALECENSA ... 12
ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG ... 40
ALUNBRIG ORAL TABLETS,DOSE PACK ... 40
alyq ... 272
ambrisentan oral tablet 5 mg ... 14
apomorphine ... 19
AQINJECT PEN NEEDLE 31G 5MM ... 141
AQINJECT PEN NEEDLE 32G 4MM ... 141
ARCALYST ... 242
ARIKAYCE ... 16
armodafinil ... 21
ASSURE ID DUO PRO NDL 31G 5MM ... 141
ASSURE ID DUO-SHIELD 30GX3/16" ... 141
ASSURE ID DUO-SHIELD 30GX5/16" ... 141
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2" ... 141
ASSURE ID PEN NEEDLE 30GX5/16" ... 141
ASSURE ID PRO PEN NDL 30G 5MM ... 141
ASSURE ID SYR 0.5 ML 31GX15/64" ... 141
ASSURE ID SYR 1 ML 31GX15/64" ... 141
AUGTYRO ORAL CAPSULE 160 MG, 40 MG ... 237
AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG ... 69
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 18 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG ... 69
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG ... 69
AUTOKEEPER SAF PEN NDL 30G 8MM ... 141
AVMAPKI-FAKZYNJA ... 26
AVONEX INTRAMUSCULAR PEN INJECTOR KIT ... 151
AVONEX INTRAMUSCULAR SYRINGE KIT ... 151
AYVAKIT ... 25
BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG ... 93
BD AUTOSHIELD DUO NDL 5MMX30G ... 141
BD ECLIPSE 30GX1/2" SYRINGE ... 141
BD INS SYR 0.3 ML 8MMX31G(1/2) ... 141
BD INS SYR UF 0.3 ML 12.7MMX30G ... 141
BD INS SYR UF 0.5 ML 12.7MMX30G NOT FOR RETAIL SALE ... 141
BD INSULIN SYR 1 ML 27GX12.7MM ... 141
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE ... 141
BD SAFETGLD INS 0.3 ML 29G 13MM ... 141
BD SAFETYGLD INS 0.3 ML 31G 8MM ... 141
BD SAFETYGLD INS 0.5 ML 30G 8MM ... 141
BD SAFETYGLD INS 1 ML 29G 13MM ... 141
BD SAFETYGLID INS 1 ML 6MMX31G ... 141
BD SAFETYGLIDE SYRINGE 27GX5/8 ... 141
BD SAFTYGLD INS 0.3 ML 6MMX31G ... 141
BD SAFTYGLD INS 0.5 ML 29G 13MM ... 141
BD SAFTYGLD INS 0.5 ML 6MMX31G ... 141
BD SINGLE USE SWAB ... 141
BD UF MICRO PEN NEEDLE 6MMX32G ... 141
BD UF MINI PEN NEEDLE 5MMX31G ... 141

BD UF NANO PEN NEEDLE 4MMX32G 141
BD UF ORIG PEN NDL 12.7MMX29G ... 141
BD UF SHORT PEN NEEDLE 8MMX31G 141
BD VEO INS 0.3 ML 6MMX31G (1/2) 141
BD VEO INS SYRING 1 ML 6MMX31G 141
BD VEO INS SYRN 0.3 ML 6MMX31G . 141
BD VEO INS SYRN 0.5 ML 6MMX31G . 141
BENLYSTA SUBCUTANEOUS 31
BESREMI 247
BESREMI PEN 247
betaine 35
BETASERON SUBCUTANEOUS KIT 152
bexarotene oral 36
bexarotene topical 36
BORDERED GAUZE 2"X2" 141
bosentan oral tablet 38
bosentan oral tablet for suspension 38
BOSULIF ORAL CAPSULE 100 MG, 50 MG 39
BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG 39
BRAFTOVI 87
BRUKINSA ORAL TABLET 317
CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG 45
CALQUENCE (ACALABRUTINIB MAL) 7
CAPRELSA ORAL TABLET 100 MG, 300 MG 306
CAREFINE PEN NEEDLE 12.7MM 29G HRI 141
CAREFINE PEN NEEDLE 4MM 32G 141
CAREFINE PEN NEEDLE 5MM 32G 141
CAREFINE PEN NEEDLE 6MM 31G HRI 141
CAREFINE PEN NEEDLE 8MM 30G HRI 141
CAREFINE PEN NEEDLES 6MM 32G ... 141
CAREFINE PEN NEEDLES 8MM 31G ... 141
CARETOUCH ALCOHOL 70% PREP PAD 141
CARETOUCH PEN NEEDLE 29G 12MM 141
CARETOUCH PEN NEEDLE 31GX1/4" . 141
CARETOUCH PEN NEEDLE 31GX3/16" 141
CARETOUCH PEN NEEDLE 31GX5/16" 141
CARETOUCH PEN NEEDLE 32GX3/16" 141
CARETOUCH PEN NEEDLE 32GX5/32" 141
CARETOUCH SYR 0.3 ML 31GX5/16" .. 141
CARETOUCH SYR 0.5 ML 30GX5/16" .. 141
CARETOUCH SYR 0.5 ML 31GX5/16" .. 141
CARETOUCH SYR 1 ML 28GX5/16" 141
CARETOUCH SYR 1 ML 29GX5/16" 141
CARETOUCH SYR 1 ML 30GX5/16" 141
CARETOUCH SYR 1 ML 31GX5/16" 141
carglumic acid 49
CAYSTON 29
CIMZIA SUBCUTANEOUS SYRINGE KIT 200 MG/ML 51
cladribine 10 mg x 10 tab pk outer 52
cladribine(multiple sclerosis) oral tablet 10 mg (10 pack), 10 mg (4 pack), 10 mg (5 pack), 10 mg (6 pack), 10 mg (7 pack), 10 mg (8 pack), 10 mg (9 pack) 52
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 141
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 141
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY) 44
COMFORT EZ 0.3 ML 31G 15/64" 141
COMFORT EZ 0.5 ML 31G 15/64" 141
COMFORT EZ INS 0.3 ML 30GX1/2" 141
COMFORT EZ INS 0.3 ML 30GX5/16" ... 141
COMFORT EZ INS 1 ML 31G 15/64" 141
COMFORT EZ INS 1 ML 31GX5/16" 141
COMFORT EZ INSULIN SYR 0.3 ML 141
COMFORT EZ INSULIN SYR 0.5 ML 141
COMFORT EZ PEN NEEDLE 12MM 29G 141
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 141
COMFORT EZ PEN NEEDLES 4MM 33G 141

COMFORT EZ PEN NEEDLES 5MM 31G MINI 141
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 141
COMFORT EZ PEN NEEDLES 5MM 33G 141
COMFORT EZ PEN NEEDLES 6MM 31G 141
COMFORT EZ PEN NEEDLES 6MM 32G 141
COMFORT EZ PEN NEEDLES 6MM 33G 141
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 141
COMFORT EZ PEN NEEDLES 8MM 32G 141
COMFORT EZ PEN NEEDLES 8MM 33G 141
COMFORT EZ PLS PEN NDL 32G 4MM 141
COMFORT EZ PRO PEN NDL 30G 8MM 141
COMFORT EZ PRO PEN NDL 31G 4MM 141
COMFORT EZ PRO PEN NDL 31G 5MM 141
COMFORT EZ SYR 0.3 ML 29GX1/2" 141
COMFORT EZ SYR 0.5 ML 28GX1/2" 141
COMFORT EZ SYR 0.5 ML 29GX1/2" 141
COMFORT EZ SYR 0.5 ML 30GX1/2" 141
COMFORT EZ SYR 1 ML 27G 12.7MM . 141
COMFORT EZ SYR 1 ML 28GX1/2" 141
COMFORT EZ SYR 1 ML 29GX1/2" 141
COMFORT EZ SYR 1 ML 30GX1/2" 141
COMFORT EZ SYR 1 ML 30GX5/16" 141
COMFORT POINT PEN NDL 31GX1/3" . 141
COMFORT POINT PEN NDL 31GX1/6" . 141
COMFORT TOUCH PEN NDL 31G 4MM 141
COMFORT TOUCH PEN NDL 31G 5MM 141
COMFORT TOUCH PEN NDL 31G 6MM 141
COMFORT TOUCH PEN NDL 31G 8MM 141
COMFORT TOUCH PEN NDL 32G 4MM 141
COMFORT TOUCH PEN NDL 32G 5MM 141
COMFORT TOUCH PEN NDL 32G 6MM 141
COMFORT TOUCH PEN NDL 32G 8MM 141
COMFORT TOUCH PEN NDL 33G 4MM 141
COMFORT TOUCH PEN NDL 33G 5MM 141
COMFORT TOUCH PEN NDL 33G 6MM 141
COPIKTRA 79
CORTROPHIN GEL 56
COSENTYX (2 SYRINGES) 252
COSENTYX PEN (2 PENS) 252
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML 252
COSENTYX UNOREADY PEN 252
COTELLIC 54
CRESEMBA ORAL 154
CURITY ALCOHOL PREPS 2 PLY,MEDIUM 141
CURITY GAUZE PADS 141
CURITY GAUZE SPONGES (12 PLY)-200/BAG 141
dalfampridine 62
DANZITEN 199
dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg 64
DAURISMO ORAL TABLET 100 MG, 25 MG 115
deferasirox oral tablet 180 mg, 90 mg 66
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 141
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 141
DERMACEA NON-WOVEN 2"X2" SPNGE 141
DIACOMIT ORAL CAPSULE 250 MG, 500 MG 270
DIACOMIT ORAL POWDER IN PACKET 250 MG, 500 MG 270
diclofenac sodium topical solution in metered-dose pump 71
dihydroergotamine nasal 72

dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg, 120 mg (14)- 240 mg (46), 240 mg 73
dronabinol oral capsule 76
DROPLET 0.3 ML 29G 12.7MM(1/2) OUTER 141
DROPLET 0.3 ML 30G 12.7MM(1/2) OUTER 141
DROPLET 0.5 ML 29GX12.5MM(1/2) 141
DROPLET 0.5 ML 30GX12.5MM(1/2) 141
DROPLET INS 0.3 ML 29GX12.5MM 141
DROPLET INS 0.3 ML 30G 8MM(1/2) OUTER 141
DROPLET INS 0.3 ML 30GX12.5MM 141
DROPLET INS 0.3 ML 31G 6MM(1/2) OUTER 141
DROPLET INS 0.3 ML 31G 8MM(1/2) OUTER 141
DROPLET INS 0.5 ML 29G 12.7MM OUTER 141
DROPLET INS 0.5 ML 30G 12.7MM OUTER 141
DROPLET INS 0.5 ML 30GX6MM(1/2) .. 141
DROPLET INS 0.5 ML 30GX8MM(1/2) .. 141
DROPLET INS 0.5 ML 31GX6MM(1/2) .. 141
DROPLET INS 0.5 ML 31GX8MM(1/2) .. 141
DROPLET INS SYR 0.3 ML 30GX6MM . 141
DROPLET INS SYR 0.3 ML 30GX8MM . 141
DROPLET INS SYR 0.3 ML 31GX6MM . 141
DROPLET INS SYR 0.3 ML 31GX8MM . 141
DROPLET INS SYR 0.5 ML 30G 8MM OUTER 141
DROPLET INS SYR 0.5 ML 31G 6MM OUTER 141
DROPLET INS SYR 0.5 ML 31G 8MM OUTER 141
DROPLET INS SYR 1 ML 29G 12.7MM OUTER 141
DROPLET INS SYR 1 ML 30G 12.5MM . 141
DROPLET INS SYR 1 ML 30G 6MM 141
DROPLET INS SYR 1 ML 30G 8MM OUTER 141
DROPLET INS SYR 1 ML 31G 6MM OUTER 141
DROPLET INS SYR 1 ML 31G 8MM 141
DROPLET MICRON 34G X 9/64" 141
DROPLET PEN NEEDLE 29G 10MM 141
DROPLET PEN NEEDLE 29G 12MM 141
DROPLET PEN NEEDLE 30G 8MM 141
DROPLET PEN NEEDLE 31G 5MM 141
DROPLET PEN NEEDLE 31G 6MM 141
DROPLET PEN NEEDLE 31G 8MM 141
DROPLET PEN NEEDLE 32G 4MM 141
DROPLET PEN NEEDLE 32G 5MM 141
DROPLET PEN NEEDLE 32G 6MM 141
DROPLET PEN NEEDLE 32G 8MM 141
DROPSAFE ALCOHOL 70% PREP PADS 141
DROPSAFE INS SYR 0.3 ML 31G 6MM 141
DROPSAFE INS SYR 0.3 ML 31G 8MM 141
DROPSAFE INS SYR 0.5 ML 31G 6MM 141
DROPSAFE INS SYR 0.5 ML 31G 8MM 141
DROPSAFE INSUL SYR 1 ML 31G 6MM 141
DROPSAFE INSUL SYR 1 ML 31G 8MM 141
DROPSAFE INSULN 1 ML 29G 12.5MM 141
DROPSAFE PEN NEEDLE 31G 4MM 141
DROPSAFE PEN NEEDLE 31G 5MM 141
DROPSAFE PEN NEEDLE 31G 8MM 141
DROPSAFE PEN NEEDLE 31GX1/4" 141
droxidopa 77
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML 78
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML 78
EASY CMFT SFTY PEN NDL 31G 5MM 141
EASY CMFT SFTY PEN NDL 31G 6MM 141
EASY CMFT SFTY PEN NDL 32G 4MM 141
EASY COMFORT 0.3 ML 31G 1/2" 141
EASY COMFORT 0.3 ML 31G 5/16" 141
EASY COMFORT 0.5 ML 30GX1/2" 141
EASY COMFORT 0.5 ML 31GX5/16" 141
EASY COMFORT 0.5 ML 32GX5/16" 141
EASY COMFORT 0.5 ML SYRINGE 141
EASY COMFORT 1 ML 31GX5/16" 141
EASY COMFORT 1 ML 32GX5/16" 141
EASY COMFORT ALCOHOL 70% PAD 141
EASY COMFORT INSULIN 1 ML SYR .. 141
EASY COMFORT PEN NDL 29G 4MM .. 141
EASY COMFORT PEN NDL 29G 5MM .. 141

EASY COMFORT PEN NDL 31GX1/4" .. 141
EASY COMFORT PEN NDL 31GX3/16" 141
EASY COMFORT PEN NDL 31GX5/16" 141
EASY COMFORT PEN NDL 32GX5/32" 141
EASY COMFORT PEN NDL 33G 4MM .. 141
EASY COMFORT PEN NDL 33G 5MM .. 141
EASY COMFORT PEN NDL 33G 6MM .. 141
EASY COMFORT SYR 0.5 ML 29G 8MM 141
EASY COMFORT SYR 1 ML 29G 8MM .. 141
EASY COMFORT SYR 1 ML 30GX1/2" .. 141
EASY GLIDE INS 0.3 ML 31GX6MM 141
EASY GLIDE INS 0.5 ML 31GX6MM 141
EASY GLIDE INS 1 ML 31GX6MM 141
EASY GLIDE PEN NEEDLE 4MM 33G .. 141
EASY TOUCH 0.3 ML 30G 8MM(1/2) 141
EASY TOUCH 0.3 ML 31G 6MM(1/2) 141
EASY TOUCH 0.3 ML 31G 8MM(1/2) 141
EASY TOUCH 0.3 ML SYR 30GX1/2" 141
EASY TOUCH 0.5 ML SYR 27GX1/2" 141
EASY TOUCH 0.5 ML SYR 29GX1/2" 141
EASY TOUCH 0.5 ML SYR 30GX1/2" 141
EASY TOUCH 0.5 ML SYR 30GX5/16 ... 141
EASY TOUCH 1 ML SYR 29GX1/2" 141
EASY TOUCH 1 ML SYR 30GX1/2" 141
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED 141
EASY TOUCH AUTO 0.5 ML 30G 6MM 141
EASY TOUCH AUTO 0.5 ML 30G 8MM 141
EASY TOUCH AUTORET 1 ML 30G 6MM 141
EASY TOUCH AUTORET 1 ML 30G 8MM 141
EASY TOUCH FLIPLOK 1 ML 27GX0.5 141
EASY TOUCH INS 0.3 ML 30G 8MM 141
EASY TOUCH INS 0.3 ML 31G 8MM 141
EASY TOUCH INS 0.5 ML 30G 8MM 141
EASY TOUCH INS 0.5 ML 31G 6MM 141
EASY TOUCH INS 0.5 ML 31G 8MM 141
EASY TOUCH INS 1 ML 27G 1/2" 141
EASY TOUCH INS 1 ML 28G 12.7MM ... 141
EASY TOUCH INS SYR 1 ML 30G 8MM 141
EASY TOUCH INS SYR 1 ML 31G 6MM 141
EASY TOUCH INS SYR 1 ML 31G 8MM 141
EASY TOUCH INSULIN 1 ML 29GX1/2 141
EASY TOUCH INSULIN 1 ML 30GX1/2 141
EASY TOUCH INSULIN SYR 1 ML 141
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 141
EASY TOUCH INSULN 1 ML 29GX1/2" 141
EASY TOUCH INSULN 1 ML 30GX1/2" 141
EASY TOUCH INSULN 1 ML 30GX5/16 141
EASY TOUCH INSULN 1 ML 31GX5/16 141
EASY TOUCH LUER LOK INSUL 1 ML 141
EASY TOUCH PEN NEEDLE 29GX1/2" 141
EASY TOUCH PEN NEEDLE 30GX5/16 141
EASY TOUCH PEN NEEDLE 31GX1/4" 141
EASY TOUCH PEN NEEDLE 31GX3/16 141
EASY TOUCH PEN NEEDLE 31GX5/16 141
EASY TOUCH PEN NEEDLE 32GX1/4" 141
EASY TOUCH PEN NEEDLE 32GX3/16 141
EASY TOUCH PEN NEEDLE 32GX5/32 141
EASY TOUCH SAF PEN NDL 29G 5MM 141
EASY TOUCH SAF PEN NDL 29G 8MM 141
EASY TOUCH SAF PEN NDL 30G 5MM 141
EASY TOUCH SAF PEN NDL 30G 8MM 141
EASY TOUCH SYR 0.5 ML 28G 12.7MM 141
EASY TOUCH SYR 0.5 ML 29G 12.7MM 141
EASY TOUCH SYR 1 ML 27G 16MM 141
EASY TOUCH UNI-SLIP SYR 1 ML 141
EASYLIFE ALCOHOL 70% PADS 141
EASYLIFE INS PEN NDL 29G 12MM 141
EASYLIFE INS PEN NDL 31G 4MM 141
EASYLIFE INS PEN NDL 31G 5MM 141
EASYLIFE INS PEN NDL 31G 6MM 141
EASYLIFE INS PEN NDL 31G 8MM 141
EASYLIFE INS PEN NDL 32G 4MM 141
EASYLIFE INS PEN NDL 32G 5MM 141
EASYLIFE INS PEN NDL 32G 6MM 141
EASYLIFE INS PEN NDL 32G 8MM 141
EASYLIFE INS PEN NDL 33G 4MM 141
EASYLIFE INS PEN NDL 33G 5MM 141
EASYLIFE INS PEN NDL 33G 6MM 141

EASYLIFE INS PEN NDL 33G 8MM 141
EASYLIFE INS SYR 0.5 ML 30G 8MM .. 141
EASYLIFE INS SYR 1 ML 30G 8MM 141
EASYLIFE INS SYR 1 ML 31G 8MM 141
EASYLIFE SAFTY PEN NDL 31G 4MM 141
EASYLIFE SAFTY PEN NDL 31G 5MM 141
EASYLIFE SYR 1 ML 30G 12.7MM 141
EASYTOUCH SAF PEN NDL 30G 6MM 141
ELIGARD 171
ELIGARD (3 MONTH) 171
ELIGARD (4 MONTH) 171
ELIGARD (6 MONTH) 171
eltrombopag olamine oral powder in packet 12.5 mg, 25 mg 85
eltrombopag olamine oral tablet 12.5 mg, 25 mg, 50 mg, 75 mg 85
EMBRACE PEN NEEDLE 29G 12MM 141
EMBRACE PEN NEEDLE 30G 5MM 141
EMBRACE PEN NEEDLE 30G 8MM 141
EMBRACE PEN NEEDLE 31G 5MM 141
EMBRACE PEN NEEDLE 31G 6MM 141
EMBRACE PEN NEEDLE 31G 8MM 141
EMBRACE PEN NEEDLE 32G 4MM 141
EMGALITY PEN 110
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML, 300 MG/3 ML (100 MG/ML X 3) 110
ENBREL MINI 96
ENBREL SUBCUTANEOUS SOLUTION . 96
ENBREL SUBCUTANEOUS SYRINGE ... 96
ENBREL SURECLICK 96
ENSACOVE ORAL CAPSULE 100 MG, 25 MG 88
ENTYVIO PEN 307
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG, 200-50 MG 262
EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG 262
EPIDIOLEX 46
ERIVEDGE 314
ERLEADA ORAL TABLET 240 MG, 60 MG 18
erlotinib oral tablet 100 mg, 150 mg, 25 mg 95
estradiol-norethindrone acet oral tablet 0.5-0.1 mg 121
everolimus (antineoplastic) oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg 98
everolimus (antineoplastic) oral tablet for suspension 99
EXEL U100 0.3 ML 29GX1/2" 141
EXEL U100 0.3 ML 30GX5/16" 141
EXXUA 113
FASENRA 34
FASENRA PEN 34
fingolimod 107
FINTEPLA 102
FIRDAPSE 15
FOTIVDA 286
FRUZAQLA ORAL CAPSULE 1 MG, 5 MG 108
FT STERILE PADS 2" X 2" 141
GATTEX 30-VIAL 277
GAUZE PAD TOPICAL BANDAGE 2 X 2 " 141
GAVRETO 230
gefitinib 112
GILENYA ORAL CAPSULE 0.25 MG 107
GILOTRIF 11
glatiramer subcutaneous syringe 20 mg/ml, 40 mg/ml 116
glatopa subcutaneous syringe 20 mg/ml, 40 mg/ml 116
glutamine (sickle cell) 173
glyburide 123
glyburide-metformin 124
GNP ALCOHOL SWAB STERILE, TWO PLY 141
GNP PEN NEEDLE 31G 5MM 141
GNP PEN NEEDLE 32G 6MM 141
GNP SIMPLI PEN NEEDLE 32G 4MM ... 141
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 141
GNP ULT CMFRT 0.5 ML 29GX1/2" 141
GNP ULTR CMFRT 0.5 ML 30GX5/16 ... 141
GNP ULTRA COMFORT 1 ML SYRINGE 141
GNP ULTRA COMFORT 3/10 ML SYR .. 141
GOMEKLI ORAL CAPSULE 1 MG, 2 MG 193
GOMEKLI ORAL TABLET FOR SUSPENSION 193
GS PEN NEEDLE 31G X 8MM 141

HADLIMA 10
HADLIMA PUSHTOUCH 10
HADLIMA(CF) 10
HADLIMA(CF) PUSHTOUCH 10
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT 42
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG, 45-200 MG 165
HEALTHWISE INS 0.3 ML 30GX5/16" .. 141
HEALTHWISE INS 0.3 ML 31GX5/16" .. 141
HEALTHWISE INS 0.5 ML 30GX5/16" .. 141
HEALTHWISE INS 0.5 ML 31GX5/16" .. 141
HEALTHWISE INS 1 ML 30GX5/16" 141
HEALTHWISE INS 1 ML 31GX5/16" 141
HEALTHWISE PEN NEEDLE 31G 5MM 141
HEALTHWISE PEN NEEDLE 31G 8MM 141
HEALTHWISE PEN NEEDLE 32G 4MM 141
HEALTHY ACCENTS PENTIP 5MM 31G 141
HEALTHY ACCENTS PENTIP 6MM 31G 141
HEALTHY ACCENTS PENTIP 8MM 31G 141
HEALTHY ACCENTS PENTP 12MM 29G 141
HEB INCONTROL ALCOHOL 70% PADS 141
HERNEXEOS 320
HYRNUO 258
IBRANCE ORAL CAPSULE 125 MG 214
IBRANCE ORAL TABLET 214
IBTROZI 276
icatibant 134
ICLUSIG 228
IDHIFA 86
imatinib oral tablet 100 mg, 400 mg 136
IMBRUVICA ORAL CAPSULE 140 MG, 70 MG 133
IMBRUVICA ORAL SUSPENSION 133
IMBRUVICA ORAL TABLET 133
IMKELDI 137
IMPAVIDO 192
INCONTROL PEN NEEDLE 12MM 29G 141
INCONTROL PEN NEEDLE 4MM 32G .. 141
INCONTROL PEN NEEDLE 5MM 31G .. 141
INCONTROL PEN NEEDLE 6MM 31G .. 141
INCONTROL PEN NEEDLE 8MM 31G .. 141
INCRELEX 181
indomethacin oral capsule 25 mg, 50 mg ... 129
INGREZZA 305
INGREZZA INITIATION PK(TARDIV) .. 305
INGREZZA SPRINKLE 305
INLURIYO 138
INLYTA ORAL TABLET 1 MG, 5 MG 27
INQOVI 65
INREBIC 101
INSULIN 1 ML SYRINGE 141
INSULIN 1/2 ML SYRINGE 141
INSULIN 3/10 ML SYRINGE 141
INSULIN SYR 0.3 ML 31GX1/4(1/2) 141
INSULIN SYRIN 0.5 ML 28GX1/2" (OTC) 141
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 141
INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 141
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 141
INSULIN SYRING 0.5 ML 27G 1/2" INNER 141
INSULIN SYRINGE 0.3 ML 141
INSULIN SYRINGE 0.3 ML 31GX1/4 141
INSULIN SYRINGE 0.5 ML 141
INSULIN SYRINGE 0.5 ML 31GX1/4 141
INSULIN SYRINGE 1 ML 141
INSULIN SYRINGE 1 ML 27G 1/2" INNER 141
INSULIN SYRINGE 1 ML 28GX1/2" (OTC) 141
INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC) 141
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 141
INSULIN SYRINGE 1 ML 31GX1/4" 141
INSULIN SYRINGE 1 ML 31GX5/16" SHORT NEEDLE,THIN II (OTC) 141
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE 141
INSUPEN PEN NEEDLE 29GX1/2" 141
INSUPEN PEN NEEDLE 31G 8MM 141
INSUPEN PEN NEEDLE 31GX3/16" 141
INSUPEN PEN NEEDLE 32G 4MM 141

INSUPEN PEN NEEDLE 32G 6MM (RX) 141
ISTURISA 210
ITOVEBI ORAL TABLET 3 MG, 9 MG .. 139
IV ANTISEPTIC WIPES 141
IWILFIN 81
JAKAFI 249
javygtor oral tablet,soluble 250
JAYPIRCA ORAL TABLET 100 MG, 50 MG 226
JIDEYTRO ORAL TABLET 100 MG, 25 MG 318
KALYDECO 155
KENDALL ALCOHOL 70% PREP PAD . 141
KERENDIA ORAL TABLET 10 MG, 20 MG 105
KESIMPTA PEN 205
ketorolac oral 125
KEVZARA 251
KINERET 17
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3) 240
KOMZIFTI 319
KOSELUGO ORAL CAPSULE 10 MG, 25 MG 256
KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG, 7.5 MG 256
KRAZATI 8
lapatinib 161
LAZCLUZE ORAL TABLET 240 MG, 80 MG 163
ledipasvir-sofosbuvir 165
lenalidomide 166
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) 167
LEQEMBI IQLIK SUBCUTANEOUS AUTO-INJECTOR 360 MG/1.8 ML, 500 MG/2.5 ML (250MG/1.25MLX2) 164
leuprolide acetate (3 month) 170
leuprolide subcutaneous kit 169
lidocaine topical adhesive patch,medicated 5 % 174
lidocaine-prilocaine topical cream 175
LIFYORLI 235
LISCO SPONGES 100/BAG 141
LIVTENCITY 180
LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG 298
LORBRENA ORAL TABLET 100 MG, 25 MG 176
LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG 269
LUPRON DEPOT 172
LUPRON DEPOT (3 MONTH) 172
LUPRON DEPOT (4 MONTH) 172
LUPRON DEPOT (6 MONTH) 172
LYNPARZA 206
LYTGOBI 109
macitentan 179
MAGELLAN INSUL SYRINGE 0.3 ML .. 141
MAGELLAN INSUL SYRINGE 0.5 ML .. 141
MAGELLAN INSULIN SYR 0.3 ML 141
MAGELLAN INSULIN SYR 0.5 ML 141
MAGELLAN INSULIN SYRINGE 1 ML 141
MAXICOMFORT II PEN NDL 31GX6MM 141
MAXICOMFORT INS 0.5 ML 27GX1/2" 141
MAXI-COMFORT INS 0.5 ML 28G 141
MAXICOMFORT INS 1 ML 27GX1/2" ... 141
MAXI-COMFORT INS 1 ML 28GX1/2" .. 141
MAXICOMFORT PEN NDL 29G X 5MM 141
MAXICOMFORT PEN NDL 29G X 8MM 141
MAYZENT ORAL TABLET 0.25 MG, 1 MG, 2 MG 260
MAYZENT STARTER(FOR 1MG MAINT) 260
MAYZENT STARTER(FOR 2MG MAINT) 260
megestrol 400 mg/10 ml susp cup outer 130
megestrol oral suspension 400 mg/10 ml (40 mg/ml) 130
megestrol oral tablet 130
MEKINIST ORAL RECON SOLN 294
MEKINIST ORAL TABLET 0.5 MG, 2 MG 295

MEKTOVI 37
metyrosine 186
MICRODOT PEN NEEDLE 31GX6MM .. 141
MICRODOT PEN NEEDLE 32GX4MM .. 141
MICRODOT PEN NEEDLE 33GX4MM .. 141
MICRODOT READYGARD NDL 31G 5MM OUTER 141
mifepristone oral tablet 300 mg 189
miglustat 191
MINI PEN NEEDLE 32G 5MM 141
MINI PEN NEEDLE 32G 8MM 141
MINI PEN NEEDLE 33G 5MM 141
MINI PEN NEEDLE 33G 6MM 141
MINI ULTRA-THIN II PEN NDL 31G STERILE 141
modafinil oral tablet 100 mg, 200 mg 194
MODEYSO 75
MONOJECT 0.5 ML SYRN 28GX1/2" 141
MONOJECT 1 ML SYRN 27X1/2" 141
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 141
MONOJECT INSUL SYR U100 (OTC) 141
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 141
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 141
MONOJECT INSUL SYR U100 1 ML 141
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 141
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) 141
MONOJECT INSULIN SYR 0.3 ML 141
MONOJECT INSULIN SYR 0.3 ML (OTC) 141
MONOJECT INSULIN SYR 0.5 ML 141
MONOJECT INSULIN SYR 0.5 ML (OTC) 141
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 141
MONOJECT INSULIN SYR U-100 141
MONOJECT SYRINGE 0.3 ML 141
MONOJECT SYRINGE 0.5 ML 141
MONOJECT SYRINGE 1 ML 141
morphine concentrate oral solution 196
MOUNJARO 119
NANO 2 GEN PEN NEEDLE 32G 4MM . 141
NANO PEN NEEDLE 32G 4MM 141
NAYZILAM 187
NERLYNX 197
NILOTINIB D-TARTRATE ORAL CAPSULE 150 MG, 200 MG, 50 MG 198
nilotinib hcl oral capsule 150 mg, 200 mg, 50 mg 198
NINLARO 157
nintedanib 200
nitisinone 204
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) 264
NOVOFINE 32G NEEDLES 141
NOVOFINE AUTOCOVER 30G NEEDLE 141
NOVOFINE PLUS PEN NDL 32GX1/6" .. 141
NUBEQA 63
NUCALA SUBCUTANEOUS AUTO-INJECTOR 183
NUCALA SUBCUTANEOUS RECON SOLN 183
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML, 40 MG/0.4 ML 183
NUPLAZID 224
NURTEC ODT 243
NYVEPRIA 217
ODOMZO 266
OFEV 200
OGSIVEO ORAL TABLET 100 MG, 150 MG 203
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 293
OJEMDA ORAL TABLET 293
OJJAARA 195
ONUREG 28
OPSUMIT 179
ORENCIA 2
ORENCIA CLICKJECT 2
ORGOVYX 236
ORKAMBI ORAL TABLET 178
ORSERDU ORAL TABLET 345 MG, 86 MG 82
OSENVELT 68
OTEZLA ORAL TABLET 20 MG, 30 MG . 20

OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) 20
OTEZLA XR 20
OTEZLA XR INITIATION 20
oxycodone oral concentrate 212
OZEMPIC ORAL 118
OZEMPIC SUBCUTANEOUS 118
paroxetine hcl 131
pazopanib oral tablet 200 mg 216
PEGASYS 218
PEMAZYRE 220
PEN NEEDLE 30G 5MM OUTER 141
PEN NEEDLE 30G 8MM INNER 141
PEN NEEDLE 30G X 5/16" 141
PEN NEEDLE 31G X 1/4" HRI 141
PEN NEEDLE 33G 4MM 141
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" 141
PEN NEEDLES 12MM 29G 29GX12MM,STRL 141
PEN NEEDLES 4MM 32G 141
PEN NEEDLES 5MM 31G 31GX5MM,STRL,MINI (OTC) 141
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 141
penicillamine oral tablet 221
PENTIPS PEN NEEDLE 29G 1/2" 141
PENTIPS PEN NEEDLE 31G 1/4" 141
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 141
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 141
PENTIPS PEN NEEDLE 32G 1/4" 141
PENTIPS PEN NEEDLE 32GX5/32" 141
phenobarbital 126
PIP PEN NEEDLE 31G X 5MM 141
PIP PEN NEEDLE 32G X 4MM 141
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) 13
pirfenidone oral capsule 225
pirfenidone oral tablet 267 mg, 534 mg, 801 mg 225
pomalidomide 227
POMALYST 227
posaconazole oral tablet,delayed release (dr/ec) 229
PREMPHASE 122
PREMPRO 122
PREVENT PEN NEEDLE 31GX1/4" 141
PREVENT PEN NEEDLE 31GX5/16" 141
PREVYMIS ORAL TABLET 168
PRO COMFORT 0.5 ML 30GX1/2" 141
PRO COMFORT 0.5 ML 30GX5/16" 141
PRO COMFORT 0.5 ML 31GX5/16" 141
PRO COMFORT 1 ML 30GX1/2" 141
PRO COMFORT 1 ML 30GX5/16" 141
PRO COMFORT 1 ML 31GX5/16" 141
PRO COMFORT ALCOHOL 70% PADS 141
PRO COMFORT PEN NDL 32G 8MM 141
PRO COMFORT PEN NDL 32G X 1/4" ... 141
PRO COMFORT PEN NDL 4MM 32G 141
PRO COMFORT PEN NDL 5MM 32G 141
PRO-COMFORT ALCOHOL 70% PADS 141
PRODIGY INS SYR 1 ML 28GX1/2" 141
PRODIGY SYRNG 0.5 ML 31GX5/16" ... 141
PRODIGY SYRNGE 0.3 ML 31GX5/16" . 141
promethazine oral tablet 127
PURE CMFT SFTY PEN NDL 31G 5MM 141
PURE CMFT SFTY PEN NDL 31G 6MM 141
PURE CMFT SFTY PEN NDL 32G 4MM 141
PURE COMFORT ALCOHOL 70% PADS 141
PURE COMFORT PEN NDL 32G 4MM .. 141
PURE COMFORT PEN NDL 32G 5MM .. 141
PURE COMFORT PEN NDL 32G 6MM .. 141
PURE COMFORT PEN NDL 32G 8MM .. 141
pyrimethamine 231
QINLOCK 245
quinine sulfate 232
QULIPTA 23
RA ISOPROPYL ALCOHOL 70% WIPES 141
RA STERILE PADS 2"X 2" 141
RADICAVA ORS STARTER KIT SUSP ... 80
RALDESY 296
RAYA SURE PEN NEEDLE 29G 12MM . 141
RAYA SURE PEN NEEDLE 31G 4MM ... 141
RAYA SURE PEN NEEDLE 31G 5MM ... 141
RAYA SURE PEN NEEDLE 31G 6MM ... 141
RELEUKO SUBCUTANEOUS 104

RELION INS SYR 0.3 ML 31GX6MM.... 141
RELION INS SYR 0.5 ML 31GX6MM.... 141
RELION INS SYR 1 ML 31GX15/64".....141
RELION PEN NEEDLE 32GX5/32".....141
RELION SYRING 0.3 ML 31GX5/16" INNER.....141
RELION SYRING 0.5 ML 31GX5/16" INNER (OTC)..... 141
RELISTOR ORAL..... 185
RELISTOR SUBCUTANEOUS SOLUTION..... 184
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML.184
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML.....92
RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG.....255
REVCOVI..... 83
REVUFORJ ORAL TABLET 110 MG, 160 MG, 25 MG..... 239
REZDIFFRA..... 238
REZLIDHIA.....208
REZUROCK.....32
RINVOQ.....302
RINVOQ LQ..... 302
ROMVIMZA.....313
ROZLYTREK ORAL CAPSULE 100 MG, 200 MG.....89
ROZLYTREK ORAL PELLETS IN PACKET.....90
RUBRACA.....248
RYBELSUS.....118
RYDAPT..... 188
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10.....141
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10.....141
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10.....141
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10.....141
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10.....141
SAFETY PEN NEEDLE 31G 4MM..... 141
SAFETY PEN NEEDLE 5MM X 31G..... 141
SAFETY SYRINGE 0.5 ML 30G 1/2"..... 141
sajazir..... 134
SANTYL..... 55
sapropterin oral tablet,soluble..... 250
SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG..... 22
scopolamine base.....128
SECURESAFE PEN NDL 30GX5/16" OUTER.....141
SECURESAFE PEN NEEDLE 31G 5MM OUTER.....141
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER.....141
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER.....141
SELARSDI SUBCUTANEOUS..... 304
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG..... 265
SIGNIFOR.....215
sildenafil (pulm.hypertension) oral tablet.. 259
SIMLANDI(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML.....9
SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML.....9
SIRTURO..... 30
SKY SAFETY PEN NEEDLE 30G 5MM. 141
SKY SAFETY PEN NEEDLE 30G 8MM. 141
SKYRIZI SUBCUTANEOUS PEN INJECTOR..... 246
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 55 MG/0.37 ML..... 246
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)..... 246
sodium oxybate..... 261
sofosbuvir-velpatasvir..... 262
SOMAVERT..... 219
sorafenib..... 267
STARJEMZA SUBCUTANEOUS..... 303
STIVARGA.....234
SUBVENITE ORAL SUSPENSION..... 158
sunitinib malate..... 271
SURE CMFT SFTY PEN NDL 31G 6MM 141

SURE CMFT SFTY PEN NDL 32G 4MM 141
SURE COMFORT 0.5 ML SYRINGE 141
SURE COMFORT 1 ML SYRINGE 141
SURE COMFORT 3/10 ML SYRINGE 141
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 141
SURE COMFORT 30G PEN NEEDLE 141
SURE COMFORT ALCOHOL PREP PADS 141
SURE COMFORT INS 0.3 ML 31GX1/4 . 141
SURE COMFORT INS 0.5 ML 31GX1/4 . 141
SURE COMFORT INS 1 ML 31GX1/4" ... 141
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 141
SURE COMFORT PEN NDL 31G 5MM .. 141
SURE COMFORT PEN NDL 31G 8MM .. 141
SURE COMFORT PEN NDL 32G 4MM .. 141
SURE COMFORT PEN NDL 32G 6MM .. 141
SURE-FINE PEN NEEDLES 12.7MM 141
SURE-FINE PEN NEEDLES 5MM 141
SURE-FINE PEN NEEDLES 8MM 141
SURE-JECT INSU SYR U100 0.3 ML 141
SURE-JECT INSU SYR U100 0.5 ML 141
SURE-JECT INSU SYR U100 1 ML 141
SURE-JECT INSUL SYR U100 1 ML 141
SURE-JECT INSULIN SYRINGE 1 ML .. 141
SURE-PREP ALCOHOL PREP PADS 141
SYMPAZAN 53
TABRECTA 48
tadalafil (pulm. hypertension) 272
tadalafil oral tablet 2.5 mg, 5 mg 273
TAFINLAR ORAL CAPSULE 59
TAFINLAR ORAL TABLET FOR SUSPENSION 60
TAGRISSO 211
TAKHZYRO SUBCUTANEOUS SOLUTION 159
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML (150 MG/ML) 159
TALZENNA 275
TARPEYO 41
TAVNEOS 24
TECHLITE 0.3 ML 29GX12MM (1/2) 141
TECHLITE 0.3 ML 30GX8MM (1/2) 141
TECHLITE 0.3 ML 31GX6MM (1/2) 141
TECHLITE 0.3 ML 31GX8MM (1/2) 141
TECHLITE 0.5 ML 30GX12MM (1/2) 141
TECHLITE 0.5 ML 30GX8MM (1/2) 141
TECHLITE 0.5 ML 31GX6MM (1/2) 141
TECHLITE 0.5 ML 31GX8MM (1/2) 141
TECHLITE INS SYR 1 ML 29GX12MM . 141
TECHLITE INS SYR 1 ML 30GX12MM . 141
TECHLITE INS SYR 1 ML 31GX6MM ... 141
TECHLITE INS SYR 1 ML 31GX8MM ... 141
TECHLITE PEN NEEDLE 29GX1/2" 141
TECHLITE PEN NEEDLE 29GX3/8" 141
TECHLITE PEN NEEDLE 31GX1/4" 141
TECHLITE PEN NEEDLE 31GX3/16" 141
TECHLITE PEN NEEDLE 31GX5/16" 141
TECHLITE PEN NEEDLE 32GX1/4" 141
TECHLITE PEN NEEDLE 32GX5/16" 141
TECHLITE PEN NEEDLE 32GX5/32" 141
TECHLITE PLUS PEN NDL 32G 4MM ... 141
TEPMETKO 279
teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml) 280
TERUMO INS SYRINGE U100-1 ML 141
TERUMO INS SYRINGE U100-1/2 ML .. 141
TERUMO INS SYRINGE U100-1/3 ML .. 141
TERUMO INS SYRNG U100-1/2 ML 141
testosterone cypionate 282
testosterone enanthate 283
testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %), 20.25 mg/1.25 gram (1.62 %) 281
testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) 281
tetrabenazine 284
THALOMID ORAL CAPSULE 100 MG, 50 MG 285
THINPRO INS SYRIN U100-0.3 ML 141
THINPRO INS SYRIN U100-0.5 ML 141
THINPRO INS SYRIN U100-1 ML 141
TIBSOVO 156
tofacitinib oral solution 289
tofacitinib oral tablet 289
tofacitinib oral tablet extended release 24 hr 289
tolvaptan 291
tolvaptan (polycys kidney dis) oral tablets, sequential 291
TOPFINE INSULN PEN NDL 32G 4MM 141

torpenz oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg 98
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 299
TREMFYA ONE-PRESS 120
TREMFYA PEN INDUCTION PK(2PEN) 120
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML 120
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML 120
tretinoin topical cream 0.025 %, 0.05 %, 0.1 % 292
trientine oral capsule 250 mg 297
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 84
TRIKAFTA ORAL TABLETS, SEQUENTIAL 84
TRUE CMFRT PRO 0.5 ML 30G 5/16" 141
TRUE CMFRT PRO 0.5 ML 31G 5/16" 141
TRUE CMFRT PRO 0.5 ML 32G 5/16" 141
TRUE CMFT SFTY PEN NDL 31G 5MM 141
TRUE CMFT SFTY PEN NDL 31G 6MM 141
TRUE CMFT SFTY PEN NDL 32G 4MM 141
TRUE COMFORT 0.5 ML 30G 1/2" 141
TRUE COMFORT 0.5 ML 30G 5/16" 141
TRUE COMFORT 0.5 ML 31G 5/16" 141
TRUE COMFORT 0.5 ML 31GX5/16" 141
TRUE COMFORT 1 ML 31GX5/16" 141
TRUE COMFORT ALCOHOL 70% PADS 141
TRUE COMFORT PEN NDL 31G 8MM .. 141
TRUE COMFORT PEN NDL 31GX5MM 141
TRUE COMFORT PEN NDL 31GX6MM 141
TRUE COMFORT PEN NDL 32G 5MM .. 141
TRUE COMFORT PEN NDL 32G 6MM .. 141
TRUE COMFORT PEN NDL 32GX4MM 141
TRUE COMFORT PEN NDL 33G 4MM .. 141
TRUE COMFORT PEN NDL 33G 5MM .. 141
TRUE COMFORT PEN NDL 33G 6MM .. 141
TRUE COMFORT PRO 1 ML 30G 1/2" ... 141
TRUE COMFORT PRO 1 ML 30G 5/16" . 141
TRUE COMFORT PRO 1 ML 31G 5/16" . 141
TRUE COMFORT PRO 1 ML 32G 5/16" . 141
TRUE COMFORT PRO ALCOHOL PADS 141
TRUE COMFORT SFTY 1 ML 30G 1/2" . 141
TRUE COMFRT PRO 0.5 ML 30G 1/2" ... 141
TRUE COMFRT SFTY 1 ML 30G 5/16" .. 141
TRUE COMFRT SFTY 1 ML 31G 5/16" .. 141
TRUE COMFRT SFTY 1 ML 32G 5/16" .. 141
TRUE-CMFRT PRO PEN NDL 31G 5MM 141
TRUE-CMFRT PRO PEN NDL 31G 6MM 141
TRUE-CMFRT PRO PEN NDL 31G 8MM 141
TRUE-CMFRT PRO PEN NDL 32G 4MM 141
TRUEPLUS PEN NEEDLE 29GX1/2" 141
TRUEPLUS PEN NEEDLE 31G X 1/4" ... 141
TRUEPLUS PEN NEEDLE 31GX3/16" ... 141
TRUEPLUS PEN NEEDLE 31GX5/16" ... 141
TRUEPLUS PEN NEEDLE 32GX5/32" ... 141
TRUEPLUS SYR 0.3 ML 29GX1/2" 141
TRUEPLUS SYR 0.3 ML 30GX5/16" 141
TRUEPLUS SYR 0.3 ML 31GX5/16" 141
TRUEPLUS SYR 0.5 ML 28GX1/2" 141
TRUEPLUS SYR 0.5 ML 29GX1/2" 141
TRUEPLUS SYR 0.5 ML 30GX5/16" 141
TRUEPLUS SYR 0.5 ML 31GX5/16" 141
TRUEPLUS SYR 1 ML 28GX1/2" 141
TRUEPLUS SYR 1 ML 29GX1/2" 141
TRUEPLUS SYR 1 ML 30GX5/16" 141
TRUEPLUS SYR 1 ML 31GX5/16" 141
TRULICITY 117
TRUQAP 47
TRYNGOLZA 207
TUKYSA ORAL TABLET 150 MG, 50 MG 300
TURALIO 223
TYENNE AUTOINJECTOR 287
TYENNE SUBCUTANEOUS 287
TYMLOS 1
UBRELVY 301
ULT CFT 0.3 ML 31GX5/16" (1/2) 1/2 UNIT 141
ULTICAR INS 0.3 ML 31GX1/4(1/2) 141
ULTICARE INS 0.3 ML 31GX1/4" 141
ULTICARE INS 0.5 ML 31GX1/4" 141
ULTICARE INS 1 ML 31GX1/4" 141
ULTICARE INS SYR 1 ML 30GX1/2" 141
ULTICARE PEN NEEDLE 31GX3/16" 141
ULTICARE PEN NEEDLE 6MM 31G 141

ULTICARE PEN NEEDLE 8MM 31G 141
ULTICARE PEN NEEDLES 12MM 29G . 141
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 141
ULTICARE PEN NEEDLES 6MM 32G ... 141
ULTICARE SAFE PEN NDL 30G 8MM .. 141
ULTICARE SAFE PEN NDL 5MM 30G .. 141
ULTICARE SYR 0.3 ML 30GX1/2" 141
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 141
ULTICARE SYR 0.5 ML 30GX1/2" 141
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 141
ULTICARE SYR 1 ML 31GX5/16" 141
ULTIGUARD SAFE 1 ML 30G 12.7MM . 141
ULTIGUARD SAFE0.3 ML 30G 12.7MM 141
ULTIGUARD SAFE0.5 ML 30G 12.7MM 141
ULTIGUARD SAFEPACK 1 ML 31G 8MM 141
ULTIGUARD SAFEPACK 29G 12.7MM 141
ULTIGUARD SAFEPACK 31G 5MM 141
ULTIGUARD SAFEPACK 31G 6MM 141
ULTIGUARD SAFEPACK 31G 8MM 141
ULTIGUARD SAFEPACK 32G 4MM 141
ULTIGUARD SAFEPACK 32G 6MM 141
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 141
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 141
ULTILET ALCOHOL STERL SWAB 141
ULTILET INSULIN SYRINGE 0.3 ML ... 141
ULTILET INSULIN SYRINGE 0.5 ML ... 141
ULTILET INSULIN SYRINGE 1 ML 141
ULTILET PEN NEEDLE 141
ULTILET PEN NEEDLE 4MM 32G 141
ULTRA COMFORT 0.3 ML 29GX1/2" 141
ULTRA COMFORT 0.3 ML SYRINGE ... 141
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 141
ULTRA COMFORT 0.5 ML 29GX1/2" 141
ULTRA COMFORT 0.5 ML 31GX5/16" .. 141
ULTRA COMFORT 0.5 ML SYRINGE ... 141
ULTRA COMFORT 1 ML 29GX1/2" 141
ULTRA COMFORT 1 ML 30GX5/16" 141
ULTRA COMFORT 1 ML 31GX5/16" 141
ULTRA COMFORT 1 ML SYRINGE 141
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 141
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 141
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 141
ULTRA FLO PEN NEEDLE 31G 5MM ... 141
ULTRA FLO PEN NEEDLE 31G 8MM ... 141
ULTRA FLO PEN NEEDLE 32G 4MM ... 141
ULTRA FLO PEN NEEDLE 33G 4MM ... 141
ULTRA FLO PEN NEEDLES 12MM 29G 141
ULTRA FLO SYR 0.3 ML 29GX1/2" 141
ULTRA FLO SYR 0.3 ML 30G 5/16" 141
ULTRA FLO SYR 0.3 ML 31G 5/16" 141
ULTRA FLO SYR 0.5 ML 29G 1/2" 141
ULTRA THIN PEN NDL 32G X 4MM 141
ULTRACARE INS 0.3 ML 30GX5/16" 141
ULTRACARE INS 0.3 ML 31GX5/16" 141
ULTRACARE INS 0.5 ML 30GX1/2" 141
ULTRACARE INS 0.5 ML 30GX5/16" 141
ULTRACARE INS 0.5 ML 31GX5/16" 141
ULTRACARE INS 1 ML 30G X 5/16" 141
ULTRACARE INS 1 ML 30GX1/2" 141
ULTRACARE INS 1 ML 31G X 5/16" 141
ULTRACARE PEN NEEDLE 31GX1/4" .. 141
ULTRACARE PEN NEEDLE 31GX3/16" 141
ULTRACARE PEN NEEDLE 31GX5/16" 141
ULTRACARE PEN NEEDLE 32GX1/4" .. 141
ULTRACARE PEN NEEDLE 32GX3/16" 141
ULTRACARE PEN NEEDLE 32GX5/32" 141
ULTRACARE PEN NEEDLE 33GX5/32" 141
ULTRA-FINE 0.3 ML 30G 12.7MM 141
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 141
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 141
ULTRA-FINE 0.5 ML 30G 12.7MM 141
ULTRA-FINE INS 0.5 ML 31G 6MM 141
ULTRA-FINE INS SYR 1 ML 31G 6MM 141
ULTRA-FINE INS SYR 1 ML 31G 8MM 141
ULTRA-FINE PEN NDL 29G 12.7MM 141
ULTRA-FINE PEN NEEDLE 31G 5MM .. 141
ULTRA-FINE PEN NEEDLE 31G 8MM .. 141
ULTRA-FINE PEN NEEDLE 32G 6MM .. 141
ULTRA-FINE SYR 0.3 ML 31G 6MM 141
ULTRA-FINE SYR 0.3 ML 31G 8MM 141
ULTRA-FINE SYR 0.5 ML 31G 6MM 141
ULTRA-FINE SYR 0.5 ML 31G 8MM 141
ULTRA-FINE SYR 1 ML 30G 12.7MM ... 141
ULTRA-THIN II 1 ML 31GX5/16" 141

ULTRA-THIN II INS 0.3 ML 30G 141
ULTRA-THIN II INS 0.3 ML 31G 141
ULTRA-THIN II INS 0.5 ML 29G 141
ULTRA-THIN II INS 0.5 ML 30G 141
ULTRA-THIN II INS 0.5 ML 31G 141
ULTRA-THIN II INS SYR 1 ML 29G 141
ULTRA-THIN II INS SYR 1 ML 30G 141
ULTRA-THIN II PEN NDL 29GX1/2" 141
ULTRA-THIN II PEN NDL 31GX5/16 141
UNIFINE OTC PEN NEEDLE 31G 5MM 141
UNIFINE OTC PEN NEEDLE 32G 4MM 141
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 141
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 141
UNIFINE PENTIPS 32G 4MM 141
UNIFINE PENTIPS 32GX1/4" 141
UNIFINE PENTIPS 33GX5/32" 141
UNIFINE PENTIPS 6MM 31G 141
UNIFINE PENTIPS 8MM 31G 31GX8MM, SHORT, STRL 141
UNIFINE PENTIPS MAX 30GX3/16" 141
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 141
UNIFINE PENTIPS PLUS 30GX3/16" 141
UNIFINE PENTIPS PLUS 31G 5MM 141
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 141
UNIFINE PENTIPS PLUS 32GX5/32" 141
UNIFINE PENTIPS PLUS 33GX5/32" 141
UNIFINE PROTECT 30G 5MM 141
UNIFINE PROTECT 30G 8MM 141
UNIFINE PROTECT 32G 4MM 141
UNIFINE SAFECONTROL 30G 5MM 141
UNIFINE SAFECONTROL 30G 8MM 141
UNIFINE SAFECONTROL 31G 5MM 141
UNIFINE SAFECONTROL 31G 6MM 141
UNIFINE SAFECONTROL 31G 8MM 141
UNIFINE SAFECONTROL 32G 4MM 141
UNIFINE ULTR PEN NDL 34G 3.5MM .. 141
UNIFINE ULTRA PEN NDL 29G 12MM 141
UNIFINE ULTRA PEN NDL 31G 5MM .. 141
UNIFINE ULTRA PEN NDL 31G 6MM .. 141
UNIFINE ULTRA PEN NDL 31G 8MM .. 141
UNIFINE ULTRA PEN NDL 32G 4MM .. 141
UNIFINE ULTRA PEN NDL 32G 6MM .. 141
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG 253
UPTRAVI ORAL TABLETS,DOSE PACK 253
vabrinty (4 month) 171
vabrinty (6 month) 171
VALCHLOR 182
VANFLYTA 233
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 141
VANISHPOINT INS 0.5 ML 30G 8MM OUTER 141
VANISHPOINT INS 1 ML 30GX3/16" 141
VANISHPOINT U-100 29X1/2 SYR 141
VELSIPITY 97
VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG 310
VENCLEXTA STARTING PACK 310
VEOZAH 103
VERIFINE INS SYR 1 ML 29G 1/2" 141
VERIFINE PEN NEEDLE 29G 12MM 141
VERIFINE PEN NEEDLE 31G 5MM 141
VERIFINE PEN NEEDLE 31G X 6MM ... 141
VERIFINE PEN NEEDLE 31G X 8MM ... 141
VERIFINE PEN NEEDLE 32G 6MM 141
VERIFINE PEN NEEDLE 32G X 4MM ... 141
VERIFINE PEN NEEDLE 32G X 5MM ... 141
VERIFINE PLUS PEN NDL 31G 5MM ... 141
VERIFINE PLUS PEN NDL 31G 8MM ... 141
VERIFINE PLUS PEN NDL 32G 4MM ... 141
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 141
VERIFINE SYRING 0.5 ML 29G 1/2" 141
VERIFINE SYRING 1 ML 31G 5/16" 141
VERIFINE SYRNG 0.3 ML 31G 5/16" 141
VERIFINE SYRNG 0.5 ML 31G 5/16" 141
VERQUVO 311
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 141
VERZENIO 4
vigabatrin 312
vigadrone 312
VIGAFYDE 312
VITRAKVI ORAL CAPSULE 100 MG, 25 MG 162
VITRAKVI ORAL SOLUTION 162

VIZIMPRO 61
VONJO 213
VORANIGO ORAL TABLET 10 MG, 40 MG 315
voriconazole oral suspension for reconstitution 316
VOSEVI 263
VOWST 100
VUMERITY 74
VYNDAMAX 274
WEBCOL ALCOHOL PREPS 20'S,LARGE 141
WEGOVY ORAL 257
WEGOVY SUBCUTANEOUS PEN INJECTOR 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4 MG/0.75 ML 257
WELIREG 33
WINREVAIR 268
WM UNIFINE PENTIP PLUS 8MM 31G W/ SAFETY CLICK 141
XALKORI ORAL CAPSULE 57
XALKORI ORAL PELLET 150 MG, 20 MG, 50 MG 58
XDEMVY 177
XELJANZ ORAL SOLUTION 289
XELJANZ ORAL TABLET 289
XELJANZ XR 289
XERMELO 278
XIFAXAN ORAL TABLET 200 MG, 550 MG 241
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML 209
XOLAIR SUBCUTANEOUS RECON SOLN 209
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML 209
XOSPATA 114
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (10 MG X 4), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1), 80MG TWICE WEEK (160 MG/WEEK) 254
XTANDI ORAL CAPSULE 91
XTANDI ORAL TABLET 40 MG, 80 MG 91
YONSA 6
yulithira oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg 98
ZEJULA 201
ZELBORAF 309
ZENBEXUS 132
ZTALMY 111
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG 321
ZYKADIA 50
ZYMFENTRA 140

LEON HEALTH